```
# Copyright (c) 2004–2009 David Heinemeier Hansson
# Permission is hereby granted, free of charge, to any person obtaining
# a copy of this software and associated documentation files (the
# "Software"), to deal in the Software without restriction, including
# without limitation the rights to use, copy, modify, merge, publish,
# distribute, sublicense, and/or sell copies of the Software, and to
# permit persons to whom the Software is furnished to do so, subject to
# the following conditions:
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
# MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT, IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
# LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
# OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
# WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
# General Apache options
AddHandler fastogi-script .fcgi
AddHandler cgi-script .cgi
Options +FollowSymLinks +ExecCGI
# If you don't want Rails to look in certain directories,
# use the following rewrite rules so that Apache won't rewrite certain requests
# Example:
    RewriteCond %CREQUEST_URI> ^/notrails.*
    RewriteRule . * - [L]
# Redirect all requests not available on the filesystem to Rails
# By default the cgi dispatcher is used which is very slow
# For better performance replace the dispatcher with the fastcgi one
# Example:
    RewriteRule ^(. *)$ dispatch.fcgi [QSA,L]
navada apada a na
```

```
# If your Rails application is accessed via an Alias directive,
# then you MUST also set the RewriteBase in this htaccess file.
#
# Example:
# Alias /myrailsapp /path/to/myrailsapp/public
# RewriteBase /myrailsapp

RewriteRule ^$ index. html [QSA]
RewriteRule ^([^.]+)$ $1. html [QSA]
RewriteCond %(REQUEST_FILENAME) ! -f
RewriteRule ^(.*)$ dispatch.cgi [QSA,L]

# In case Rails experiences terminal errors
# Instead of displaying this message you can supply a file here which will be rendered instead
# # Example:
# ErrorDocument 500 /500. html
```

ErrorDocument 500 "<h2>Application error</h2>Rails application failed to start properly"