

```
# This is not a perfect replica of the command-line testing  
# environment, because apparently Apache normalizes the spacing  
# of the Content-type header.
```

```
<Files http_application_atom_xml_charset.xml>  
  AddType "application/atom+xml; charset=' us-ascii' " .xml  
</Files>
```

```
<Files http_application_atom_xml_charset_overrides_encoding.xml>  
  AddType "application/atom+xml; charset=' us-ascii' " .xml  
</Files>
```

```
<Files http_application_atom_xml_default.xml>  
  AddType "application/atom+xml" .xml  
</Files>
```

```
<Files http_application_atom_xml_encoding.xml>  
  AddType "application/atom+xml" .xml  
</Files>
```

```
<Files http_application_rss_xml_charset.xml>  
  AddType "application/rss+xml; charset= ' us-ascii' " .xml  
</Files>
```

```
<Files http_application_rss_xml_charset_overrides_encoding.xml>  
  AddType 'application/rss+xml; charset= "us-ascii"' .xml  
</Files>
```

```
<Files http_application_rss_xml_default.xml>  
  AddType "application/rss+xml" .xml  
</Files>
```

```
<Files http_application_rss_xml_encoding.xml>  
  AddType "application/rss+xml" .xml  
</Files>
```

```
<Files http_application_xml_charset.xml>  
  AddType 'application/xml; charset= "us-ascii"' .xml  
</Files>
```

```
<Files http_application_xml_charset_overrides_encoding.xml>
```

```
<files http_application_xml_charset_overrides_encoding.xml >
```

```
  AddType "application/xml; charset = us-ascii" .xml
```

```
</Files>
```

```
<Files http_application_xml_default.xml >
```

```
  AddType "application/xml" .xml
```

```
</Files>
```

```
<Files http_application_xml_dtd_charset.xml >
```

```
  AddType 'application/xml-dtd; charset="us-ascii"' .xml
```

```
</Files>
```

```
<Files http_application_xml_dtd_charset_overrides_encoding.xml >
```

```
  AddType 'application/xml-dtd; charset="us-ascii"' .xml
```

```
</Files>
```

```
<Files http_application_xml_dtd_default.xml >
```

```
  AddType "application/xml-dtd" .xml
```

```
</Files>
```

```
<Files http_application_xml_dtd_encoding.xml >
```

```
  AddType "application/xml-dtd" .xml
```

```
</Files>
```

```
<Files http_application_xml_encoding.xml >
```

```
  AddType "application/xml" .xml
```

```
</Files>
```

```
<Files http_application_xml_epe_charset.xml >
```

```
  AddType 'application/xml-external-parsed-entity; charset="us-ascii"' .xml
```

```
</Files>
```

```
<Files http_application_xml_epe_charset_overrides_encoding.xml >
```

```
  AddType "application/xml-external-parsed-entity; charset=us-ascii" .xml
```

```
</Files>
```

```
<Files http_application_xml_epe_default.xml >
```

```
  AddType "application/xml-external-parsed-entity" .xml
```

```
</Files>
```

```
<Files http_application_xml_epe_encoding.xml >
```

```
  AddType "application/xml-external-parsed-entity" .xml
```

```
    AddType "application/xml-external-parsed-entity" .xml
</Files>

<Files http_i18n.xml>
    AddType "application/xml" .xml
</Files>

<Files http_text_atom_xml_charset.xml>
    AddType "text/atom+xml; charset='us-ascii'" .xml
</Files>

<Files http_text_atom_xml_charset_overrides_encoding.xml>
    AddType "text/atom+xml; charset='us-ascii'" .xml
</Files>

<Files http_text_atom_xml_default.xml>
    AddType "text/atom+xml" .xml
</Files>

<Files http_text_atom_xml_encoding.xml>
    AddType "text/atom+xml" .xml
</Files>

<Files http_text_rss_xml_charset.xml>
    AddType "text/rss+xml; charset='us-ascii'" .xml
</Files>

<Files http_text_rss_xml_charset_overrides_encoding.xml>
    AddType 'text/rss+xml; charset="us-ascii"' .xml
</Files>

<Files http_text_rss_xml_default.xml>
    AddType "text/rss+xml" .xml
</Files>

<Files http_text_rss_xml_encoding.xml>
    AddType "text/rss+xml" .xml
</Files>

<Files http_text_xml_bogus_charset.xml>
    AddType "text/xml;" .xml
```

</Files>

<Files http_text_xml_bogus_param.xml>

 AddType "text/xml; charset:iso-8859-1" .xml

</Files>

<Files http_text_xml_charset.xml>

 AddType 'text/xml; charset= "us-ascii"' .xml

</Files>

<Files http_text_xml_charset_2.xml>

 AddType "text/xml; charset=windows-1252" .xml

</Files>

<Files http_text_xml_charset_overrides_encoding.xml>

 AddType "text/xml; charset = us-ascii" .xml

</Files>

<Files http_text_xml_charset_overrides_encoding_2.xml>

 AddType "text/xml; charset=windows-1252" .xml

</Files>

<Files http_text_xml_default.xml>

 AddType "text/xml" .xml

</Files>

<Files http_text_xml_epe_charset.xml>

 AddType 'text/xml-external-parsed-entity; charset="us-ascii"' .xml

</Files>

<Files http_text_xml_epe_charset_overrides_encoding.xml>

 AddType "text/xml-external-parsed-entity; charset=us-ascii" .xml

</Files>

<Files http_text_xml_epe_default.xml>

 AddType "text/xml-external-parsed-entity" .xml

</Files>

<Files http_text_xml_epe_encoding.xml>

 AddType "text/xml-external-parsed-entity" .xml

</Files>

