

```
# Disallow Apache file index module
Options -Indexes

# Dispatcher
<IfModule mod_rewrite.c>

    # Set flag that rewrite is enabled
    SetEnv REWRITE_ENABLED 1

    # Start rewrite engine
    RewriteEngine On

    # set proper URI base
    RewriteBase /

    # Redirect associatives for scripts
    RewriteCond %{REQUEST_URI} /associatives.js?.*$ [OR]
    RewriteCond %{REQUEST_URI} /dependencies.js?.*$ [OR]
    RewriteCond %{REQUEST_URI} /bridge.js?.*$
    RewriteRule ^.*$ index.php?mode=associatives&at=js [QSA,NC,L]

    # Redirect associatives for styles
    RewriteCond %{REQUEST_URI} /associatives.css?.*$ [OR]
    RewriteCond %{REQUEST_URI} /dependencies.css?.*$ [OR]
    RewriteCond %{REQUEST_URI} /bridge.css?.*$
    RewriteRule ^.*$ index.php?mode=associatives&at=css [QSA,NC,L]

    # Redirect ajax requests
    RewriteCond %{REQUEST_URI} /ajax$
    RewriteRule ^.*$ index.php?mode=ajax [QSA,NC,L]

    # Redirect favicon to index
    RewriteCond %{REQUEST_URI} ^/favicon\.ico.*$
    RewriteRule ^.*$ index.php [NC,L]
    RewriteRule ^.*$ - [NC]

    # Redirect files without file-types, which aren't directories,
    # or symbolic links or executables to index
    RewriteCond %{REQUEST_URI} /^[^\.]*$
    RewriteCond %{REQUEST_URI} !-d
    RewriteCond %{REQUEST_URI} !\.
```

```
RewriteCond %{REQUEST_URI} !-1  
RewriteCond %{REQUEST_URI} !-x  
RewriteRule ^.*$ index.php [NC,L]  
RewriteRule ^.*$ - [NC,L]
```

```
</IfModule>
```

```
<IfModule !mod_rewrite.c>
```

```
# Set flag that rewrite is disabled
```

```
SetEnv REWRITE_ENABLED 0
```

```
</IfModule>
```