

```
#
# Apache-PHP-Pixie .htaccess
#
# Pixie Powered (www.getpixie.co.uk)
# Licence: GNU General Public License v3

# Pixie. Copyright (C) 2008 - Scott Evans

# This program is free software: you can redistribute it and/or modify
# it under the terms of the GNU General Public License as published by
# the Free Software Foundation, either version 3 of the License, or
# (at your option) any later version.

# This program is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
# GNU General Public License for more details.

# You should have received a copy of the GNU General Public License
# along with this program. If not, see http://www.gnu.org/licenses/

# www.getpixie.co.uk

# This file was automatically created for you by the Pixie Installer.

# .htaccess rules - Start :

# Set the default charset
AddDefaultCharset UTF-8

# Set the default handler.
DirectoryIndex index.php

# Rewrite rules - Start :
<IfModule mod_rewrite.c>
Options +FollowSymLinks
RewriteEngine On

# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL.  uncomment either WITH OR WITHOUT the 'www.' prefix.
```

```
# URL, either WITH or WITHOUT the www. prefix,
# By default your users can usually access your site using http://www.yoursite.com
# or http://yoursite.com but it is highly advised that you use the
# actual domain http://yoursite.com by redirecting to it using this file
# because http://www.yoursite.com is simply a subdomain of http://yoursite.com
# the www. is pointless in most applications.
# Choose ONLY one option:
```

```
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://yoursite.com/... will be redirected to http://www.yoursite.com/...)
# adapt and uncomment the following two lines :
```

```
# RewriteCond %{HTTP_HOST} ^yoursite\.com$ [NC]
# RewriteRule ^(.*)$ http://www.yoursite.com/$1 [L,R=301]
```

```
# This next one is the one everyone is advised to select.
```

```
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.yoursite.com/... will be redirected to http://yoursite.com/...)
# uncomment and adapt the following two lines :
```

```
# RewriteCond %{HTTP_HOST} ^www\.yoursite\.com$ [NC]
# RewriteRule ^(.*)$ http://yoursite.com/$1 [L,R=301]
```

```
# You can change the RewriteBase if you are using pixie in
# a subdirectory or in a VirtualDocumentRoot and clean urls
# do not function correctly after you have turned them on :
```

```
RewriteBase /pixiel
```

```
# Rewrite rules to prevent common exploits - Start :
# Block out any script trying to base64_encode junk to send via URL
```

```
RewriteCond %{QUERY_STRING} base64_encode.*\(\.*\) [OR]
```

```
# Block out any script that includes a <script> tag in URL
```

```
RewriteCond %{QUERY_STRING} (\<| %3C).*script.*(\>| %3E) [NC,OR]
```

```
# Block out any script trying to set a PHP GLOBALS variable via URL
```

```
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \| %5D|%7B|%7D) [OR]
```

```
# Block out any script trying to modify a _REQUEST variable via URL
```

```
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \| %5D|%7B|%7D)
```

```
# Send all blocked request to homepage with 403 Forbidden error!
```

```
RewriteRule ^(.*)$ index.php [F,L]
```

```
.....
```

```
# End - Rewrite rules to prevent common exploits
```

```
# Pixie's core mod rewrite rules - Start :
```

```
RewriteCond %(REQUEST_FILENAME) !-f  
RewriteCond %(REQUEST_FILENAME) !-d  
RewriteRule ^(.*) index.php?%(QUERY_STRING) [L]  
# End - Pixie's core mod rewrite rules
```

```
</IfModule>
```

```
# End - rewrite rules
```

```
# Protect files and directories
```

```
<FilesMatch "\.(engine|incl|info|install|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?  
|xml|svn-base)$|^(\code-style|.pl|Entries.*|Repository|Root|Tag|Template|all-  
wcpops|entries|format)$">  
Order allow,deny  
</FilesMatch>
```

```
# Don't show directory listings for URLs which map to a directory.
```

```
Options -Indexes
```

```
# Make Pixie handle any 404 errors.
```

```
ErrorDocument 404 /index.php
```

```
# Deny access to extension xml files (Comment out to de-activate.) - Start :
```

```
<Files ~ "\.xml$" >  
Order allow,deny  
Deny from all  
Satisfy all  
</Files>
```

```
# End - Deny access to extension xml files
```

```
# Deny access to htaccess and htpasswd files (Comment out to de-activate.) - Start :
```

```
<Files ~ "\.ht$" >  
order allow,deny  
deny from all  
Satisfy all  
</Files>
```

```
# End - Deny access to extension htaccess and htpasswd files
```

Extra features - Start :

Requires mod_expires to be enabled. mod_expires rules - Start :

<IfModule mod_expires.c>

Enable expirations

ExpiresActive On

Cache all files for 1 week after access (A).

ExpiresDefault A604800

Do not cache dynamically generated pages.

ExpiresByType text/html A1

</IfModule>

End - mod_expires rules

End - Extra features

End - .htaccess rules