

Don't show directory listings for URLs which map to a directory.

Options -Indexes

Follow symbolic links in this directory.

Options +FollowSymLinks

Make Drupal handle any 404 errors.

ErrorDocument 404 index.php

Set the default handler.

DirectoryIndex index.php

PHP 4, Apache 1.

<IfModule mod_php4.c>

php_value magic_quotes_gpc	0
php_value register_globals	0
php_value session.auto_start	0
php_value mbstring.http_input	pass
php_value mbstring.http_output	pass
php_value mbstring.encoding_translation	0

</IfModule>

PHP 4, Apache 2.

<IfModule sapi_apache2.c>

php_value magic_quotes_gpc	0
php_value register_globals	0
php_value session.auto_start	0
php_value mbstring.http_input	pass
php_value mbstring.http_output	pass
php_value mbstring.encoding_translation	0

</IfModule>

PHP 5, Apache 1 and 2.

<IfModule mod_php5.c>

php_value magic_quotes_gpc	0
php_value register_globals	0
php_value session.auto_start	0
php_value mbstring.http_input	pass
php_value mbstring.http_output	pass
php_value mbstring.encoding_translation	0

</IfModule>

```
</IfModule>
```

```
# Requires mod_expires to be enabled.
```

```
<IfModule mod_expires.c>
```

```
# Enable expirations.
```

```
ExpiresActive On
```

```
# Cache all files for 2 weeks after access (A).
```

```
ExpiresDefault A1209600
```

```
# Do not cache dynamically generated pages.
```

```
ExpiresByType text/html A1
```

```
</IfModule>
```

```
# Various rewrite rules.
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
# If your site can be accessed both with and without the 'www.' prefix, you  
# can use one of the following settings to redirect users to your preferred  
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
```

```
#
```

```
# To redirect all users to access the site WITH the 'www.' prefix,  
# (http://example.com/... will be redirected to http://www.example.com/...)
```

```
# adapt and uncomment the following:
```

```
# RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
```

```
# RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]
```

```
#
```

```
# To redirect all users to access the site WITHOUT the 'www.' prefix,  
# (http://www.example.com/... will be redirected to http://example.com/...)
```

```
# uncomment and adapt the following:
```

```
# RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
```

```
# RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]
```

```
# Modify the RewriteBase if you are using Drupal in a subdirectory or in a  
# VirtualDocumentRoot and the rewrite rules are not working properly.
```

```
# For example if your site is at http://example.com/drupal uncomment and  
# modify the following line:
```

```
# RewriteBase /drupal
```

```
#
```

```
# If your site is running in a VirtualDocumentRoot at http://example.com/,  
# you should uncomment the following two lines and replace '...' with the
```

```
# uncomment the following line:
RewriteBase /

# Rewrite URLs of the form 'x' to the form 'index.php?q=x'.
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
</IfModule>
```