

```
Options +FollowSymLinks
```

```
AddDefaultCharset UTF-8
```

```
<Limit GET POST PUT DELETE>
```

```
    order deny, allow
```

```
    allow from all
```

```
</Limit>
```

```
<IfModule mod_autoindex.c>
```

```
    IndexIgnore /*/*
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine on
```

```
    # if a directory or a file exists, use it directly
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    # otherwise forward it to index.php
```

```
    RewriteRule . index.php
```

```
</IfModule>
```

```
# deflate
```

```
# http://stackoverflow.com/questions/14171176/can-i-tell-mod-deflate-php-to-skip-compression-on-one-directory-only
```

```
<IfModule mod_deflate.c>
```

```
    # force deflate for mangled headers
```

```
    # developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
```

```
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
```

```
            RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
        </IfModule>
```

```
    </IfModule>
```

```
# HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
```

```
<IfModule version.c>
```

```
<IfModule filter_module.c>
```

```
    <IfVersion >= 2.4>
```

```
        FilterDeclare COMPRESS
```

```
        FilterDefine COMPRESS deflate "%(CONTENT-TYPE: = text/(.*)*)"
```

```

FilterProvider COMPRESS DEFLATE &{CONTENT_TYPE} = text/html
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/css' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/plain' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'text/x-component' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/javascript' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/json' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/xhtml+xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/rss+xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/atom+xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/vnd.ms-
fontobject' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'image/svg+xml' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'image/x-icon' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'application/x-font-ttf' "
FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'font/opentype' "
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfVersion>
<IfVersion <= 2.2>
FilterDeclare COMPRESS
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/html
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/css
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/plain
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $text/x-component
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/javascript
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
FilterProvider COMPRESS DEFLATE resp=Content-Type $image/x-icon
FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
FilterChain COMPRESS
FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfVersion>

```

```

</IfModule>
</IfModule>

<IfModule !mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml
  AddOutputFilterByType DEFLATE application/atom+xml
  AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject
  AddOutputFilterByType DEFLATE application/x-font-ttf font/opentype
</IfModule>
</IfModule>

<IfModule !mod_deflate.c>
  #Apache deflate module is not defined, active the page compression through PHP
  ob_gzhandler
  php_flag output_buffering On
  php_value output_handler ob_gzhandler
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on
  ExpiresByType image/gif "access plus 1 day"
  ExpiresByType image/jpeg "access plus 1 day"
  ExpiresByType image/png "access plus 1 day"
  ExpiresByType text/css "access plus 1 day"
  ExpiresByType text/js "access plus 1 day"
  ExpiresByType text/javascript "access plus 1 day"
  ExpiresByType application/javascript "access plus 1 day"
  ExpiresByType application/x-javascript "access plus 1 day"
  <FilesMatch "\.(jpe?g|png|gif|jsl|css|eot|ttf|otf|woff)$">
    ExpiresDefault "access plus 1 day"
  </FilesMatch>
</IfModule>

<FilesMatch ".(eot|ttf|otf|woff)">
  Header set Access-Control-Allow-Origin "*"
</FilesMatch>

```