

```
#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

#   Action php5-cgi /cgi-bin/php5-cgi
#   AddHandler php5-cgi .php

#####
## GoDaddy specific options

#   Options -MultiViews

## you might also need to add this line to php.ini
##   cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php5 .php

#####
## default index file

    DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

#   php_value memory_limit 64M
    php_value memory_limit 512M
    php_value max_execution_time 18000

#####
## disable magic quotes for php request vars

    magic_quotes_gpc off
```

```
php_flag magic_quotes_gpc off
```

```
#####
```

```
## disable automatic session start  
## before autoload was initialized
```

```
php_flag session.auto_start off
```

```
#####
```

```
## enable resulting html compression
```

```
php_flag zlib.output_compression on
```

```
#####
```

```
## disable user agent verification to not break multiple image upload
```

```
php_flag suhosin.session.cryptua off
```

```
#####
```

```
## turn off compatibility with PHP4 when dealing with objects
```

```
php_flag zend.zel_compatibility_mode Off
```

```
</IfModule>
```

```
<IfModule mod_security.c>
```

```
#####
```

```
## disable POST processing to not break multiple image upload
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
#####
```

```
## enable apache served files compression
```

```
## http://developer.yahoo.com/performance/rules.html#gzip
```

```
## Insert filter on all content
```

```
##SetOutputFilter DEFLATE
```

```
## ... and deflate the response
```

```
# Insert filter on selected content types only
#AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

# Netscape 4.x has some problems...
#BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
#BrowserMatch ^Mozilla/4%.0[678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
<IfModule mod_ssl.c>
```

```
#####
## make HTTPS env vars available for CGI mode
```

```
SSLOptions StdEnvVars
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
#####
## enable rewrites
```

```
Options +FollowSymLinks
```

```
RewriteEngine on
```

```
#####
## manufacturer product url rewrite
```

```
#ENABLES /product/manufacturer/url_key/finish URLS
```

```
RewriteRule ^product/(.*)/?$ /${prdfinder:$1} [R, L, NC, QSA]
```

```

#####
## you can put here your magento root folder
## path relative to web root

    #RewriteBase /magento/

#####
## uncomment next line to enable light API calls processing

#    RewriteRule ^api/([a-z][0-9a-z_]+)/?$ api.php?type=$1 [QSA,L]

#####
## rewrite API2 calls to api.php (by now it is REST only)

    RewriteRule ^api/rest api.php?type=rest [QSA,L]

#####
## rewrite vendor api calls

    RewriteRule ^vendor-api/(. *)/(. *)/(. *)/? vendor-api.php?
vendor=$1&secret=$2&function=$3 [QSA,L]

#####
## workaround for HTTP authorization
## in CGI environment

    RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

#####
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks

    RewriteCond %{REQUEST_METHOD} ^TRAC[EK]
    RewriteRule .* - [L,R=405]

#####
## redirect for mobile user agents

    #RewriteCond %{REQUEST_URI} !^/mobiledirectoryhere/.*$
    #RewriteCond %{HTTP_USER_AGENT} "android|blackberry|ipad|iphone|ipod|iemobile|opera
mobile|palmos|webos|googlebot-mobile" [NC]

```

```
#RewriteRule ^(.*)$ /mobiledirectoryhere/ [L,R=302]

#####
## always send 404 on missing files in these folders

RewriteCond %{REQUEST_URI} !^(/media/skin/js)/

#####
## never rewrite for existing files, directories and links

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-l

#####
## rewrite everything else to index.php

RewriteRule .* index.php [L]

</IfModule>

#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead

AddDefaultCharset Off
#AddDefaultCharset UTF-8

<IfModule mod_expires.c>

#####
## Add default Expires header
## http://developer.yahoo.com/performance/rules.html#expires

ExpiresDefault "access plus 1 year"

</IfModule>

#####
## SANDBOX DENY ACCESS FROM OUTSIDE NETWORKS
Order deny,allow
```

```
Deny from all
Allow from 127.0.0.1
Allow from 10.1.*.*
```

NPS OFFICE

```
Allow from 50.255.234.190
Allow from 50.255.234.189
Allow from 50.255.234.188
Allow from 50.255.234.187
Allow from 50.255.234.186
Allow from 50.255.234.185
```

JASON

```
Allow from 50.173.94.122
Allow from 74.213.205.130
```

AARON

```
Allow from 73.48.207.61
```

ALEX

```
Allow from 97.94.139.203
```

BOB

```
Allow from 73.12.253.47
```

BRANDON

```
Allow from 73.41.95.153
Allow from 166.170.40.59
```

BRINKLEY

```
Allow from 204.93.104.58
```

DEZI

```
Allow from 73.220.240.120
```

RANDOM

```
Allow from 67.187.252.216
```

TDP OFFICE ENTRIES

```
Allow from 71.12.97.202
```

#####

Deny access to release notes to prevent disclosure of the installed Magento version

```
<Files RELEASE_NOTES.txt>  
    order allow,deny  
    deny from all  
</Files>
```

#####

If running in cluster environment, uncomment this

http://developer.yahoo.com/performance/rules.html#etags

#FileETag none

#####

##SANDBOX ERROR REPORTING

```
php_flag display_startup_errors on  
php_flag display_errors on  
php_flag html_errors on  
php_flag log_errors on  
php_value error_log /home/sandbox/PHP_errors.log
```

#####

##SANDBOX IP WHITELIST