

```
# Use the front controller as index file. It serves as a fallback solution when  
# every other rewrite/redirect fails (e.g. in an aliased environment without  
# mod_rewrite). Additionally, this reduces the matching process for the  
# start page (path "/") because otherwise Apache will apply the rewriting rules  
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).  
DirectoryIndex app.php
```

```
<IfModule mod_rewrite.c>  
    Options +FollowSymlinks  
    RewriteEngine On  
  
    # Explicitly disable rewriting for front controllers  
    RewriteRule ^/web/app_dev.php - [L]  
    RewriteRule ^/web/app.php - [L]  
  
    # Fix the bundles folder  
    RewriteRule ^bundles/(.*)$ /web/bundles/$1 [QSA,L]  
  
    RewriteCond %{REQUEST_FILENAME} !-f  
    # Change below before deploying to production  
    #RewriteRule ^(.*)$ /web/app.php [QSA,L]  
    RewriteRule ^(.*)$ /web/app_dev.php [QSA,L]  
</IfModule>
```

```
<IfModule !mod_rewrite.c>  
    <IfModule mod_alias.c>  
        # When mod_rewrite is not available, we instruct a temporary redirect of  
        # the start page to the front controller explicitly so that the website  
        # and the generated links can still be used.  
        RedirectMatch 302 ^/$ /app.php/  
        # RedirectTemp cannot be used instead  
    </IfModule>  
</IfModule>
```

```
RewriteCond %{REQUEST_METHOD} OPTIONS  
RewriteRule ^(.*)$ $1 [R=200,L]
```

```
<IfModule mod_headers.c>  
    Header set Access-Control-Allow-Origin "*" #  
    Header always set Access-Control-Allow-Methods "POST, GET, PUT, DELETE, OPTIONS" #  
    Header always set Access-Control-Allow-Headers "% Requested With - content-type" #
```

```
header always set Access-Control-Allow-Headers X-Requested-With, content-type
</IfModule>
```