

# BEGIN iThemes Security

# BEGIN Ban Users

# Begin HackRepair.com Blacklist

RewriteEngine on

RewriteCond %{HTTP\_USER\_AGENT} ^\$ [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^[Ww]eb[Bb]andit [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Acunetix [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^binlar [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^BlackWidow [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Bolt\ 0 [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^BOT\ for\ JCE [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^casper [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^checkprivacy [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^ChinaClaw [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^clshhttp [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^cmsworldmap [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^comodo [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Custo [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Default\ Browser\ 0 [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^diavol [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^DIIBot [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^DISCO [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^dotbot [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Download\ Demon [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^eCatch [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EirGrabber [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailCollector [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailSiphon [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EmailWolf [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Express\ WebPictures [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^extract [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^ExtractorPro [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^EyeNetIE [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^feedfinder [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^FHscan [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^FlashGet [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^flicky [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^GetRight [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^GetWeb! [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Gp-ghash-get-11 [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^GO-HHEAD-GO[-IT] [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^g00gle [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^grab [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^harvest [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^jakarta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^kanagawa [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^kmccrew [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\.url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^miner [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\. *NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
```

RewriteCond %{HTTP\_USER\_AGENT} ^Offline\ Navigator [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PageGrabber [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Papa\ Foto [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pavuk [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pcBrowser [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PeoplePal [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^planetnetwork [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^psbot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^purebot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pycurl [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^RealDownload [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ReGet [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Rippers\ 0 [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SeaMonkey\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sitecheck\.internetseer\.com [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SiteSnagger [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^skygrid [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SmartDownload [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sucker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperHTTP [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Surfbot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^takeOut [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Teleport\ Pro [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Toata\ dragostea\ mea\ pentru\ diavola [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^turnit [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^vikspider [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^VoidEYE [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Image\ Collector [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Sucker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebAuto [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebCopier [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebFetch [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebGo\ IS [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebLeacher [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebReaper [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebSauger [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WPScan [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Website\ extractor [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Website\ Quester [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebStripper [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} ^WebWhacker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebZIP [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Wget [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Widow [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WWW-Mechanize [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WWWOFFLE [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Xaldon\ WebSpider [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Yandex [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Zeus [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^zmeu [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} AhrefsBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} CazoodleBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} discobot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ecxi [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} GT: : WWW [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} heritrix [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} HTTP: : Lite [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} HTTrack [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ia\_archiver [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} id-search [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} id-search\. org [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} IDBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Indy\ Library [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} IRLbot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ISC\ Systems\ iRc\ Search\ 2\. 1 [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} LinksManager. com\_bot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} linkwalker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} lup-trivial [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} MFC\_Tear\_Sample [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Microsoft\ URL\ Control [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Missigua\ Locator [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} MJ12bot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} panscient. com [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} PECL: : HTTP [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} PHPcrawl [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} PleaseCrawl [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SBI der [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Snoopy [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Steeler [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} URI: : Fetch [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} urllib [NC, OR]

```
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Wells\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair
```

```
# END Ban Users
```

```
# BEGIN Hide Backend
```

```
# Rules to hide the dashboard
```

```
RewriteRule ^/gbmin/?$ /wp-login.php [QSA,L]
```

```
# END Hide Backend
```

```
# BEGIN Tweaks
```

```
# Rules to block access to WordPress specific files
```

```
<files .htaccess>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files readme.html>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files readme.txt>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files install.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<files wp-config.php>
```

```
Order allow,deny
```

```
Deny from all
```

```
</files>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
# Rules to protect wp-includes
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %(SCRIPT_FILENAME) !^(.*)wp-includes/ms-files.php
RewriteRule ^wp-includes/[^/]+\.\php$ - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.\php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]

# Rules to help reduce spam
RewriteCond %(REQUEST_METHOD) POST
RewriteCond %(REQUEST_URI) ^(.*)wp-comments-post\.\php*
RewriteCond %(HTTP_REFERER) !^(.*)goodiebox.hu.*
RewriteCond %(HTTP_REFERER) !^http://jetpack\.\wordpress\.\com/jetpack-comment/ [OR]
RewriteCond %(HTTP_USER_AGENT) ^$
RewriteRule ^(.*)$ - [F]
</IfModule>
# END Tweaks
# END iThemes Security
# Use PHP5.4 as default
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.\php$ - [L]
RewriteCond %(REQUEST_FILENAME) !-f
RewriteCond %(REQUEST_FILENAME) !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```