

```
AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff
```

```
RewriteEngine On
```

```
# The following rule tells Apache that if the requested filename
# exists, simply serve it.
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
# The following rewrites all other queries to index.php. The
# condition ensures that if you are using Apache aliases to do
# mass virtual hosting, the base path will be prepended to
# allow proper resolution of the index.php file; it will work
# in non-aliased environments as well, providing a safe, one-size
# fits all solution.
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.php [NC,L]
```

```
#Gzip
```

```
<ifmodule mod_deflate.c>
```

```
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
application/x-javascript application/javascript text/javascript
```

```
</ifmodule>
```

```
#End Gzip
```

```
# 480 weeks
```

```
<FilesMatch ".(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf)$">
```

```
Header set Cache-Control "max-age=290304000, public"
```

```
Header set Expires "Tue, 31 Dec 2013 23: 59: 59 GMT"
```

```
</FilesMatch>
```

```
# 2 DAYS
```

```
<FilesMatch ".(xml|txt|json)$">
```

```
Header set Cache-Control "max-age=172800, public, must-revalidate"
```

```
</FilesMatch>
```

```
# 0 hours
```

```
# < / NLUK3
```

```
<FilesMatch ".(html|htm)$">
```

```
Header set Cache-Control "max-age=7200, must-revalidate"
```

```
</FilesMatch>
```

```
# Language
```

```
<FilesMatch ".(js)$">
```

```
Header set Content-Language: "vi"
```

```
</FilesMatch>
```