

```
# Set our base environment variable for the /errors/msg.php?c=msg.php?c= directive
<IfModule mod_env.c>
    SetEnv EE_DIR /errors/msg.php?c=
</IfModule>

##
# Options and ErrorDocument are part of mod_core.c so no need for an IfModule block
##
Options -Indexes +FollowSymLinks +ExecCGI

#ErrorDocument 042 /errors/msg.php?c=042
#ErrorDocument 069 /errors/msg.php?c=069
ErrorDocument 400 /errors/msg.php?c=400
ErrorDocument 401 /errors/msg.php?c=401
ErrorDocument 402 /errors/msg.php?c=402
ErrorDocument 403 /errors/msg.php?c=403
ErrorDocument 404 /errors/msg.php?c=404
ErrorDocument 405 /errors/msg.php?c=405
ErrorDocument 406 /errors/msg.php?c=406
ErrorDocument 407 /errors/msg.php?c=407
ErrorDocument 408 /errors/msg.php?c=408
ErrorDocument 409 /errors/msg.php?c=409
ErrorDocument 410 /errors/msg.php?c=410
ErrorDocument 411 /errors/msg.php?c=411
ErrorDocument 412 /errors/msg.php?c=412
ErrorDocument 413 /errors/msg.php?c=413
ErrorDocument 414 /errors/msg.php?c=414
ErrorDocument 415 /errors/msg.php?c=415
ErrorDocument 416 /errors/msg.php?c=416
ErrorDocument 417 /errors/msg.php?c=417
#ErrorDocument 418 /errors/msg.php?c=418
#ErrorDocument 420 /errors/msg.php?c=420
ErrorDocument 422 /errors/msg.php?c=422
ErrorDocument 423 /errors/msg.php?c=423
ErrorDocument 424 /errors/msg.php?c=424
ErrorDocument 426 /errors/msg.php?c=426
#ErrorDocument 431 /errors/msg.php?c=431
#ErrorDocument 449 /errors/msg.php?c=449
#ErrorDocument 451 /errors/msg.php?c=451
ErrorDocument 500 /errors/msg.php?c=500
ErrorDocument 501 /errors/msg.php?c=501
```

```
ErrorDocument 501 /errors/msg.php?c=501
ErrorDocument 503 /errors/msg.php?c=503
ErrorDocument 504 /errors/msg.php?c=504
ErrorDocument 507 /errors/msg.php?c=507
ErrorDocument 506 /errors/msg.php?c=506
ErrorDocument 508 /errors/msg.php?c=508
#ErrorDocument 511 /errors/msg.php?c=511
```

```
<IfModule mod_dir.c>
    # Default DirectoryIndex files
    DirectoryIndex index.php index.shtml index.html
    Order allow,deny
    Allow from all
</IfModule>
```

```
##
# @TODO - FixMe :: NOT WORKING - not even certain if this is correct, comments please...
# Redirect 3xx and Non-standard %XX codes class handler...
```

```
<IfModule mod_alias.c>
    Redirect 007 /errors/msg.php?c=007
    Redirect 042 /errors/msg.php?c=042
    Redirect 069 /errors/msg.php?c=069
# RedirectPermanent 301 /errors/msg.php?c=301
# RedirectTemp 302 /errors/msg.php?c=302
# Redirect 303 /errors/msg.php?c=303
# Redirect 304 /errors/msg.php?c=304
# Redirect 305 /errors/msg.php?c=305
# Redirect 306 /errors/msg.php?c=306
# RedirectTemp 307 /errors/msg.php?c=307
    Redirect 418 /errors/msg.php?c=418
    Redirect 420 /errors/msg.php?c=420
    Redirect 431 /errors/msg.php?c=431
    Redirect 449 /errors/msg.php?c=449
    Redirect 451 /errors/msg.php?c=451
    Redirect 511 /errors/msg.php?c=511
</IfModule>
```

```
# Override Error Handling and make it clear in logs and to visitors
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    RewriteBase /
```

```
    RewriteRule ^(.*)$ /errors/msg.php?c=$1 [R=302,L]
```

```
RewriteRule ^errors/11b/ - [F,L]
RewriteRule ^errors/contact$ /errors/msg.php?c=1120 [L]
RewriteRule ^errors/thank-you$ /errors/msg.php?c=1130 [L]
RewriteRule ^errors/credits$ /errors/msg.php?c=1110 [L]
RewriteCond %(ENV: REDIRECT_STATUS) =505
RewriteRule ^$ /errors/msg.php?c=505
</IfModule>
```

```
<IfModule mod_mime.c>
```

#### *# Text*

```
AddType text/css .css
AddType application/x-javascript .js
AddType text/html .html .htm
AddType text/richtext .rtf .rtx
AddType text/plain .txt
AddType text/xml .xml
```

#### *# Image*

```
AddType image/gif .gif
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType image/png .png
AddType image/svg+xml .svg .svgz
```

#### *# Video*

```
AddType video/asf .asf .asx .wax .wmv .wmx
AddType video/avi .avi
AddType video/quicktime .mov .qt
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
```

#### *# PDF*

```
AddType application/pdf .pdf
```

#### *# Flash*

```
AddType application/x-shockwave-flash .swf
```

#### *# Font*

```
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-fontobject .eot
```

```
AddType application/x-font-otf .otf
```

### *# Audio*

```
AddType audio/mpeg .mp3 .m4a
```

```
AddType audio/ogg .ogg
```

```
AddType audio/wav .wav
```

```
AddType audio/wma .wma
```

### *# Zip/Tar*

```
AddType application/x-tar .tar
```

```
AddType application/x-gzip .gz .gzip
```

```
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

### *# Text*

```
ExpiresByType text/css A31536000
```

```
ExpiresByType application/x-javascript A31536000
```

```
ExpiresByType text/html A3600
```

```
ExpiresByType text/richtext A3600
```

```
ExpiresByType text/plain A3600
```

```
ExpiresByType text/xml A3600
```

### *# Image*

```
ExpiresByType image/gif A31536000
```

```
ExpiresByType image/x-icon A31536000
```

```
ExpiresByType image/jpeg A31536000
```

```
ExpiresByType image/png A31536000
```

```
ExpiresByType image/svg+xml A31536000
```

### *# Video*

```
ExpiresByType video/asf A31536000
```

```
ExpiresByType video/avi A31536000
```

```
ExpiresByType video/quicktime A31536000
```

```
ExpiresByType video/mp4 A31536000
```

```
ExpiresByType video/mpeg A31536000
```

### *# PDF*

```
ExpiresByType application/pdf A31536000
```

```
# Flash
ExpiresByType application/x-shockwave-flash A31536000

# Font
ExpiresByType application/x-font-ttf A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-font-otf A31536000

# Audio
ExpiresByType audio/mpeg A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000

# Zip/Tar
ExpiresByType application/x-tar A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType application/zip A31536000
</IfModule>
<FilesMatch "\.(?
i:cssl jsl html htмлl rtfл rtxl txl xml gifl icol jpgl jpegl jpel pngl svgl svgzl asfl asxl waxl umvl umxl avil
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public, must-revalidate, proxy-revalidate"
    Header unset ETag
  </IfModule>
</FilesMatch>
<FilesMatch "\.(?!:cssl jsl gifl icol jpgl jpegl jpel pngl pdfл swfl ttfl ttcl eotл otф)$">
  <IfModule mod_headers.c>
    Header unset Set-Cookie
  </IfModule>
</FilesMatch>

<IfModule mod_deflate.c>
  # Compress text, html, javascript, css, xml:
  AddOutputFilterByType DEFLATE text/plain
  AddOutputFilterByType DEFLATE text/html
  AddOutputFilterByType DEFLATE text/xml
  AddOutputFilterByType DEFLATE text/css
  AddOutputFilterByType DEFLATE application/xml
```

```
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
</IfModule>

# PHP Options
<IfModule mod_php5.c>
    php_flag display_errors on
    php_flag html_errors on
    php_flag log_errors on
    php_value error_log "php_errors.log"
    php_flag ignore_repeated_errors on
    php_flag ignore_repeated_source on
    # php_value error_reporting "E_ALL & "E_DEPRECATED" & "E_NOTICE" & "E_STRICT"
    # php_value error_reporting "E_WARNING & E_ERROR"
    php_value error_reporting "E_ALL"
    php_value memory_limit 256M
    php_value max_post_size 32M
    # Permit big uploads of video files to be served locally
    php_value upload_max_filesize 256M
    php_flag short_open_tag on
    php_flag allow_url_fopen off
    php_value date.timezone "America/Los_Angeles"
    # php_flag yaml.decode_php 1
</IfModule>
```