

```
<FilesMatch "\.md5$">
```

```
    Deny from all
```

```
</FilesMatch>
```

```
DirectoryIndex index.php
```

```
AddDefaultCharset utf-8
```

```
#Options -Indexes -MultiViews
```

```
<ifModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    RewriteCond %{QUERY_STRING} ^page=1(&!$) [NC]
```

```
    RewriteRule ^(.*) /$1? [R=301,L]
```

```
    RewriteCond %{REQUEST_URI} !\.(js|css|jpg|gif|png)$
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    RewriteRule ^(.*)$ index.php [L,QSA]
```

```
</ifModule>
```

```
<ifModule mod_headers.c>
```

```
    <FilesMatch "\.(jpg|jpeg|png|gif|js|css)$">
```

```
        Header set Cache-Control "max-age=3153600, public"
```

```
    </FilesMatch>
```

```
</ifModule>
```

```
<IfModule mod_php5.c>
```

```
    php_value data_dir "/usr/local/php5/lib/php" </IfModule>
```

```
php_value date.timezone Europe/Kiev
</ifModule>

#AuthType Basic
#AuthName admin
#AuthUserFile /var/www/newfonarikru/data/www/newfonarik.ru/.htpasswd
#require valid-user

ErrorDocument 503 http://fonarik-market.ru/503.php

RewriteCond %{HTTP_HOST} ^www.fonarik-market.com$ [NC]
RewriteRule ^(.*)$ http://fonarik-market.com/$1 [R=301,L]
```