

```

# Multiple Environment config, set this to development, staging or production
# SetEnv FUEL_ENV production

AuthType Basic
AuthName "Protected Area"
AuthUserFile /home/httpd/DQAWSTOOLS/.htpasswd
Require user dq

<IfModule mod_rewrite.c>

RewriteEngine on

# NOTICE: If you get a 404 play with combinations of the following commented out lines
#AllowOverride All
#RewriteBase /wherever/fuel/

# Make sure directory listing is disabled
Options +FollowSymLinks -Indexes

# Restrict your site to only one domain
# !important USE ONLY ONE OPTION

# Option 1: To rewrite "www.domain.com -> domain.com" uncomment the following lines.
#RewriteCond %{HTTPS} !=on
#RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
#RewriteRule ^(.*)$ http://%1/%1 [R=301,L]

# Option 2: To rewrite "domain.com -> www.domain.com" uncomment the following lines.
#RewriteCond %{HTTPS} !=on
#RewriteCond %{HTTP_HOST} !^www\..+$ [NC]
#RewriteCond %{HTTP_HOST} (.+) $ [NC]
#RewriteRule ^(.*)$ http://www.%1/%1 [R=301,L]

# Remove index.php from URL
#RewriteCond %{HTTP:X-Requested-With} !^XMLHttpRequest$
#RewriteCond %{THE_REQUEST} [^/]*/index\.php [NC]
#RewriteRule ^index\.php(.*)$ $1 [R=301,NS,L]

# make HTTP Basic Authentication work on php5-fcgi installs
<IfModule mod_fcgid.c>
RewriteCond %{HTTP:Authorization}

```

```
    RewriteCond %{HTTP: Authorization} .
    RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
</IfModule>

# Send request via index.php if not a real file or directory
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

# deal with php5-cgi first
<IfModule mod_fcgid.c>
    RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
</IfModule>

<IfModule !mod_fcgid.c>

    # for normal Apache installations
    <IfModule mod_php5.c>
        RewriteRule ^(.*)$ index.php/$1 [L]
    </IfModule>

    # for Apache FCGI installations
    <IfModule !mod_php5.c>
        RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
    </IfModule>

</IfModule>

</IfModule>
```