

```

# Customize what Apache returns to the client in case of an error.
ErrorDocument 404 /404

# Disable the pattern matching based on filenames.
Options -MultiViews

# Force Internet Explorer 8/9/10 to render pages in the highest mode
# available in the various cases when it may not.
<IfModule mod_headers.c>
    Header set X-UA-Compatible "IE=edge"
    <FilesMatch "\.
(appcache|atom|bbaw|bmp|crx|css|curl|eot|f4[abpv]|flv|geojson|gif|htc|icol|jpe?
gl|js|json|jsonld)?
|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdf|rss|safariextz|svgz?
|swf|topojson|tt[cf]|txt|vcard|vcf|vtt|webapp|web[mp]|webmanifest|woff2?|xloc|xml|xpi)$">
        Header unset X-UA-Compatible
    </FilesMatch>
</IfModule>

# Serve all resources with the media type `charset` parameter set to `UTF-8`.
AddDefaultCharset utf-8
<IfModule mod_mime.c>
    AddCharset utf-8 .atom \
        .bbaw \
        .css \
        .geojson \
        .js \
        .json \
        .jsonld \
        .manifest \
        .rdf \
        .rss \
        .topojson \
        .vtt \
        .webapp \
        .webmanifest \
        .xloc \
        .xml
</IfModule>

```

\*\*\*\*\*

```

# #####
# # REWRITES #
# #####

<IfModule mod_rewrite.c>
    RewriteEngine On
    Options +FollowSymlinks
    RewriteBase /

    RewriteCond %{HTTPS} =on
    RewriteRule ^ - [env=proto:https]
    RewriteCond %{HTTPS} !=on
    RewriteRule ^ - [env=proto:http]

    # Rewrite to www.domain.com
    RewriteCond %{HTTP_HOST} !^(www|staging|dev)\. [NC]
    RewriteCond %{SERVER_ADDR} !=127.0.0.1
    RewriteCond %{SERVER_ADDR} !=::1
    RewriteRule ^ %{ENV:PROTO}://www.%{HTTP_HOST}%{REQUEST_URI} [R=301,L]

    # Send non-file requests to the CMS
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule (.+) index.php?p=$1 [QSA,L]
</IfModule>

# Block access to directories without a default document.
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# Compression
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE "application/atom+xml" \
        "application/javascript" \
        "application/json" \
        "application/ld+json" \
        "application/manifest+json" \
        "application/rdf+xml" \
        "application/rss+xml" \
        "application/schema+json" \
        "application/vnd.geo+json" \
        "application/vnd.ms-fontobject" \
        "application/x-font-otf" \
        "application/x-font-ttf" \
        "application/x-javascript" \
        "font/opentype" \
        "text/css" \
        "text/html" \
        "text/javascript" \
        "text/plain" \
        "text/xml" \
        "text/xsl"

```

```
"application/vnd.geo+json" \  
"application/vnd.ms-fontobject" \  
"application/x-font-ttf" \  
"application/x-javascript" \  
"application/x-web-app-manifest+json" \  
"application/xhtml+xml" \  
"application/xml" \  
"font/eot" \  
"font/opentype" \  
"image/bmp" \  
"image/svg+xml" \  
"image/vnd.microsoft.icon" \  
"image/x-icon" \  
"text/cache-manifest" \  
"text/css" \  
"text/html" \  
"text/javascript" \  
"text/plain" \  
"text/vcard" \  
"text/vnd.rim.location.xloc" \  
"text/vtt" \  
"text/x-component" \  
"text/x-cross-domain-policy" \  
"text/xml"
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
  <FilesMatch "\.(js|css|xml|gz)$">
```

```
    Header append Vary: Accept-Encoding
```

```
  </FilesMatch>
```

```
</IfModule>
```

```
# Remove `ETags` as resources are sent with far-future expires headers.
```

```
<IfModule mod_headers.c>
```

```
  Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
# Serve resources with far-future expires headers.
```

```
<IfModule mod_expires.c>
```

```
  ExpiresActive on
```

ExpiresDefault	"access plus 1 month"
ExpiresByType text/css	"access plus 1 year"
ExpiresByType application/atom+xml	"access plus 1 hour"
ExpiresByType application/rdf+xml	"access plus 1 hour"
ExpiresByType application/rss+xml	"access plus 1 hour"
ExpiresByType application/json	"access plus 0 seconds"
ExpiresByType application/ld+json	"access plus 0 seconds"
ExpiresByType application/schema+json	"access plus 0 seconds"
ExpiresByType application/vnd.geo+json	"access plus 0 seconds"
ExpiresByType application/xml	"access plus 0 seconds"
ExpiresByType text/xml	"access plus 0 seconds"
ExpiresByType image/vnd.microsoft.icon	"access plus 1 week"
ExpiresByType image/x-icon	"access plus 1 week"
ExpiresByType text/html	"access plus 0 seconds"
ExpiresByType application/javascript	"access plus 1 year"
ExpiresByType application/x-javascript	"access plus 1 year"
ExpiresByType text/javascript	"access plus 1 year"
ExpiresByType application/manifest+json	"access plus 1 week"
ExpiresByType application/x-web-app-manifest+json	"access plus 0 seconds"
ExpiresByType text/cache-manifest	"access plus 0 seconds"
ExpiresByType audio/ogg	"access plus 1 month"
ExpiresByType image/bmp	"access plus 1 month"
ExpiresByType image/gif	"access plus 1 month"
ExpiresByType image/jpeg	"access plus 1 month"
ExpiresByType image/png	"access plus 1 month"
ExpiresByType image/svg+xml	"access plus 1 month"
ExpiresByType image/webp	"access plus 1 month"
ExpiresByType video/mp4	"access plus 1 month"
ExpiresByType video/ogg	"access plus 1 month"
ExpiresByType video/webm	"access plus 1 month"
ExpiresByType application/vnd.ms-fontobject	"access plus 1 month"
ExpiresByType font/eot	"access plus 1 month"
ExpiresByType font/opentype	"access plus 1 month"
ExpiresByType application/x-font-ttf	"access plus 1 month"
ExpiresByType application/font-woff	"access plus 1 month"
ExpiresByType application/x-font-woff	"access plus 1 month"
ExpiresByType font/woff	"access plus 1 month"
ExpiresByType application/font-woff2	"access plus 1 month"
ExpiresByType text/x-cross-domain-policy	"access plus 1 week"

</IfModule>