

*#Пример конфигурации Apache для проекта на базе Engine 2.11.x*

```
# -----  
# Better website experience for IE users  
# -----  
  
# Force the latest IE version, in various cases when it may fall back to IE7 mode  
# github.com/rails/rails/commit/123eb25#commitcomment-118920  
# Use ChromeFrame if it's installed for a better experience for the poor IE folk  
  
<IfModule mod_headers.c>  
  Header set X-UA-Compatible "IE=Edge,chrome=1"  
  # mod_headers can't match by content-type, but we don't want to send this header on *ev*  
  <FilesMatch "\.(js|css|gif|png|jpe?  
gl|pdf|xml|ogal|ogg|m4a|ogv|mp4|m4v|webm|svg|svgz|eot|ttf|otf|woff|ico|webp|appcache|manifest|  
>  
    Header unset X-UA-Compatible  
  </FilesMatch>  
</IfModule>  
  
# -----  
# Webfont access  
# -----  
  
# Allow access from all domains for webfonts.  
# Alternatively you could only whitelist your  
# subdomains like "subdomain.example.com".  
  
<FilesMatch "\.(ttf|tfc|otf|eot|woff|font. css)$">  
  <IfModule mod_headers.c>  
    Header set Access-Control-Allow-Origin "*"   
  </IfModule>  
</FilesMatch>  
  
# -----  
# Proper MIME type for all files  
# -----  
  
# JavaScript  
# Normalize to standard type (it's sniffed in IE anyways)  
# http://dmitrybaranovskiy.github.io/utf8-example.html
```

```
# tools.ietf.org/html/rfc4329#section-7.2
```

```
AddType application/javascript js
```

```
# Audio
```

```
AddType audio/ogg oga ogg
```

```
AddType audio/mp4 m4a
```

```
# Video
```

```
AddType video/ogg ogv
```

```
AddType video/mp4 mp4 m4v
```

```
AddType video/webm webm
```

```
# SVG
```

```
# Required for svg webfonts on iPad
```

```
# twitter.com/FontSquirrel/status/14855840545
```

```
AddType image/svg+xml svg svgz
```

```
AddEncoding gzip svgz
```

```
# Webfonts
```

```
AddType application/vnd.ms-fontobject eot
```

```
AddType application/x-font-ttf ttf ttc
```

```
AddType font/opentype otf
```

```
AddType application/x-font-woff woff
```

```
# Assorted types
```

```
AddType image/x-icon ico
```

```
AddType image/webp webp
```

```
AddType text/cache-manifest appcache manifest
```

```
AddType text/x-component htc
```

```
AddType application/x-chrome-extension crx
```

```
AddType application/x-xpinstall xpi
```

```
AddType application/octet-stream safariextz
```

```
AddType text/x-vcard vcf
```

```
# -----
```

```
# Gzip compression
```

```
# -----
```

```
<IfModule mod_deflate.c>
```

```
# Force deflate for mangled headers developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-bey
```

```
-----
```

```

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip deflate)\s+
HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>

# HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
<IfModule filter_module>
  FilterDeclare    COMPRESS
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/html
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/css
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/plain
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/x-component
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/javascript
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/json
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/rss+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/atom+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $image/svg+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $font/opentype
  FilterChain      COMPRESS
  FilterProtocol   COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>

<IfModule !mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml application/atom+
  AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-fc
</IfModule>
</IfModule>

# -----

```

```
# Expires headers (for better cache control)
# -----

# These are pretty far-future expires headers.
# They assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# Additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

# If you don't use filenames to version, lower the CSS and JS to something like
# "access plus 1 week" or so.

<IfModule mod_expires.c>
    ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault          "access plus 1 month"

# cache.appcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest "access plus 0 seconds"

# Your document html
    ExpiresByType text/html          "access plus 0 seconds"

# Data
    ExpiresByType text/xml           "access plus 0 seconds"
    ExpiresByType application/xml    "access plus 0 seconds"
    ExpiresByType application/json   "access plus 0 seconds"

# Feed
    ExpiresByType application/rss+xml "access plus 1 hour"
    ExpiresByType application/atom+xml "access plus 1 hour"

# Favicon (cannot be renamed)
    ExpiresByType image/x-icon       "access plus 1 week"

# Media: images, video, audio
    ExpiresByType image/gif          "access plus 1 month"
    ExpiresByType image/png          "access plus 1 month"
    ExpiresByType image/jpg          "access plus 1 month"
    ExpiresByType image/jpeg         "access plus 1 month"
```

```
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# HTC files (css3pie)
ExpiresByType text/x-component "access plus 1 month"

# Webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"

<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>

</IfModule>

# -----
# ETag removal
# -----

# FileETag None is not enough for every server.
<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# -----
# UTF-8 encoding
```

```
# -----

# Use UTF-8 encoding for anything served text/plain or text/html
AddDefaultCharset utf-8

# Force UTF-8 for a number of file formats
AddCharset utf-8 .html .css .js .xml .json .rss .atom

# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or Git.
<IfModule mod_rewrite.c>
    RewriteEngine on
    RewriteRule "(^/)\." - [L,F]

    RewriteBase /

    # правило для локального ресайзера
    # Если сайт размещается в папке то
    # RewriteRule ^resizer/w([0-9+)-h([0-9+])/(.*)$ [/путь/к/папке/]resizer/index.php?w=$1&
    RewriteRule ^resizer/w([0-9+)-h([0-9+])/(.*)$ resizer/timthumb.php?w=$1&h=$2&src=$3&zc=2

    # правила для статического и остального контента
    RewriteCond %{REQUEST_URI} !^(.*/robots.txt|favicon.ico)
    RewriteCond %{REQUEST_URI} !\.(jpe?g|gif|png|css|js|swf)
    RewriteCond %{REQUEST_FILENAME} !-l
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d

    # Send everything to index.php
    # Если сайт размещается в папке то
    # RewriteRule ^(.*)$ [/путь/к/папке/]index.php [L,QSA]
    RewriteRule ^(.*)$ index.php [L,QSA]

</IfModule>

<FilesMatch "\.(xml|xslt)$">
    Order allow,deny
    Deny from all
</FilesMatch>

<FilesMatch "(\\.svn|entries|-base|install)$">
```

```
Order allow,deny
Deny from all
</FilesMatch>
```

```
# FollowSymLinks is required when using the RewriteEngine in a local .htaccess.
# Would have to move the rewrite rules into the main virtualhost definition to
# fix that.
```

```
#Если совсем все правильно и секьюрно - то лучше так
#Options +FollowSymLinks +SymLinksIfOwnerMatch -Indexes
```

```
#А В ЖИЗНИ
```

```
Options +FollowSymLinks -Indexes
```

```
# override php session / cookie options
```

```
php_value max_execution_time 3600
```

```
php_value session.cookie_lifetime 0
```

```
php_value session.gc_maxlifetime 2592000
```