

```
DirectoryIndex index.php
AddDefaultCharset UTF-8
DefaultLanguage en-US
SetEnv TZ Europe/Rome

# MIXED #####
ServerSignature Off
FileETag MTime Size

# PROTECT FROM FLOOD
LimitRequestBody 10485760

# MISPELING #####
<IfModule mod_speling.c>
    CheckSpelling On
</IfModule>

# .HTACCESS #####
<Files .htaccess>
    Order Allow,Deny
    Deny from all
</Files>

# REWRITE #####
<IfModule mod_rewrite.c>
    RewriteEngine On

    RewriteCond %{REQUEST_FILENAME} \. -s [OR]
    RewriteCond %{REQUEST_FILENAME} \. -l [OR]
    RewriteCond %{REQUEST_FILENAME} \d
    RewriteRule ^.+\. - [NC,L]

    RewriteRule ^(.*)\.(css|js)$ /minify/index.php?f=$1.$2 [L]
    RewriteRule ^css/font/(.+)$ /fonts/font-awesome/$1 [L]
    RewriteRule .* /index.php [QSA,L]
</IfModule>

# SECURITY #####
<IfModule mod_security.c>
    SecFilterEngine On
    SecFilterScanPOST On
    SecFilterScanPOST On
```

```
SecRuleEngine RelevantOnly
```

```
SecFilterCheckURLEncoding On
```

```
SecFilterCheckCookieFormat On
```

```
SecAuditLog /path/to/silex/tmp/logs/audit.log
```

```
SecFilterDefaultAction "deny,log,auditlog,status:406"
```

```
Include /path/to/silex/src/modsecurity_crs_10_config.conf
```

```
Include /path/to/silex/lib/OWASP-
```

```
CRS/base_rules/modsecurity_crs_20_protocol_violations.conf
```

```
Include /path/to/silex/lib/OWASP-
```

```
CRS/base_rules/modsecurity_crs_21_protocol_anomalies.conf
```

```
Include /path/to/silex/lib/OWASP-
```

```
CRS/base_rules/modsecurity_crs_40_generic_attacks.conf
```

```
Include /path/to/silex/lib/OWASP-CRS/base_rules/modsecurity_crs_42_tight_security.conf
```

```
Include /path/to/silex/lib/OWASP-CRS/base_rules/modsecurity_crs_41_sql_injection.conf
```

```
Include /path/to/silex/lib/OWASP-CRS/base_rules/modsecurity_crs_41_xss.conf
```

```
Include /path/to/silex/lib/OWASP-
```

```
CRS/base_rules/modsecurity_crs_41_phpids_converter.conf
```

```
Include /path/to/silex/lib/OWASP-CRS/base_rules/modsecurity_crs_41_phpids_filters.conf
```

```
Include /path/to/silex/lib/OWASP-CRS/base_rules/modsecurity_crs_45_trojans.conf
```

```
</IfModule>
```

```
# EXPIRES #####
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresByType image/x-icon "access plus 1 month"
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType application/javascript "access plus 2 week"
```

```
ExpiresByType application/x-javascript "access plus 2 week"
```

```
ExpiresByType text/css "access plus 2 week"
```

```
</IfModule>
```

```
# PHP #####
```

```
<IfModule mod_php5.c>
```

```
php_value zlib.output_compression 16386
```

```
. . . . .
```

```
php_value allow_url_fopen          off
php_value allow_url_include        off
php_value display_errors          off
php_value log_errors              on
php_value expose_php              off
php_value file_uploads            off
php_value magic_quotes_gpc        off
php_value memory_limit            128M
php_value post_max_size           256K
php_value register_globals        off
php_value session_save_path       /path/to/silex/tmp/sessions
php_value upload_max_filesize     256K
php_value upload_tmp_dir          /path/to/silex/tmp/sessions
php_value session.use_trans_sid   off
php_value xhprof.output_dir       /path/to/silex/tmp/profiling
</IfModule>
```