

*#Make sure no can access the directories through HTTP*

```
Options -Indexes
```

*#Make index.php as home page*

```
DirectoryIndex index.php
```

*#remove .php extensions*

```
RewriteEngine On
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^([^\./]+)/$ $1.php
```

```
RewriteRule ^([^\./]+)/([^\./]+)/$ /$1/$2.php
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteCond %{REQUEST_URI} !(\.[a-zA-Z0-9]{1,5}|/)$
```

```
RewriteRule (.*)$ /$1/ [R=301,L]
```

*# Protect files and directories from Others.*

```
<FilesMatch "\.
```

```
(engine|incl|include|info|install|make|module|extension|profile|test|po|sh|. *sql|them|tpl|`  
|x|tmp|svn-base)$|^(code-style|.pl|Entries.*|Repository|Root|Tag|Template|all-  
wcprops|entries|format)$">
```

```
Order allow,deny
```

```
</FilesMatch>
```

*# Handel any 404 errors.*

```
ErrorDocument 404 /index.php
```

*# Override PHP settings.*

*# PHP 5, Apache 1 and 2.*

```
<IfModule mod_php5.c>
```

```
php_value magic_quotes_gpc 0
```

```
php_value register_globals 0
```

```
php_value session.auto_start 0
```

```
php_value mbstring.http_input pass
```

```
php_value mbstring.http_output pass
```

```
php_value mbstring.encoding_translation 0
```

```
</IfModule>
```

*# Set the default handler.*

```
DirectoryIndex index.php
```

```
# Overwrite till test
# PHP error handling for development servers
php_value error_reporting E_ALL
php_value error_reporting E_NOTICE
php_value error_reporting E_DEPRECATED
php_flag display_startup_errors on
php_flag display_errors on
php_flag html_errors on
php_flag log_errors on
php_flag ignore_repeated_errors off
php_flag ignore_repeated_source off
php_flag report_memleaks on
php_flag track_errors on
php_value docref_root 0
php_value docref_ext 0
php_value error_log /home/path/public_html/domain/PHP_errors.log
php_value error_reporting -1
php_value log_errors_max_len 0
```

```
<Files PHP_errors.log>
```

```
Order allow,deny
```

```
Deny from all
```

```
Satisfy All
```

```
</Files>
```

```
# Remove above in production site
```