

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
## Begin RewriteBase
```

```
# If you are getting 404 errors on subpages, you may have to uncomment the RewriteBase entry
```

```
# You should change the '/' to your appropriate subfolder. For example if you have your Grav install at the root of your site '/' should work, else it might be something along the lines of: RewriteBase /<your_sub_folder>
```

```
##
```

```
# RewriteBase /
```

```
## End - RewriteBase
```

```
## Begin - Exploits
```

```
# If you experience problems on your site block out the operations listed below
```

```
# This attempts to block the most common type of exploit `attempts` to Grav
```

```
#
```

```
# Block out any script trying to base64_encode data within the URL.
```

```
RewriteCond %{QUERY_STRING} base64_encode(?:.*) [OR]
```

```
# Block out any script that includes a <script> tag in URL.
```

```
RewriteCond %{QUERY_STRING} (<| %3C)(?:\s|*)script.*(>| %3E) [NC,OR]
```

```
# Block out any script trying to set a PHP GLOBALS variable via URL.
```

```
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \| %0-9A-Z){0,2} [OR]
```

```
# Block out any script trying to modify a _REQUEST variable via URL.
```

```
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \| %0-9A-Z){0,2}
```

```
# Return 403 Forbidden header and show the content of the root homepage
```

```
RewriteRule .* index.php [F]
```

```
#
```

```
## End - Exploits
```

```
## Begin - Index
```

```
# If the requested path and file is not /index.php and the request
```

```
# has not already been internally rewritten to the index.php script
```

```
RewriteCond %{REQUEST_URI} !^/index\.php
```

```
# and the requested path and file doesn't directly match a physical file
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
# and the requested path and file doesn't directly match a physical folder
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```



```
ExpiresByType text/css "access 1 month"
ExpiresByType text/html "access 1 month"
ExpiresByType application/pdf "access 1 month"
ExpiresByType text/x-javascript "access 1 month"
ExpiresByType application/javascript "access 1 month"
ExpiresByType application/x-shockwave-flash "access 1 month"
ExpiresByType image/x-icon "access 1 year"
ExpiresDefault "access 1 month"
</IfModule>
## EXPIRES CACHING ##
```