

```
# pass the default character set
```

```
AddDefaultCharset UTF-8
```

```
SetEnvIf Host ^staging\. (.*) APPLICATION_ENV=staging
```

```
SetEnvIf Host integration.grrr.nl$ APPLICATION_ENV=integration
```

```
SetEnvIf Host ^loc\. (.*) APPLICATION_ENV=development
```

```
php_value upload_max_filesize 30M
```

```
php_value post_max_size 30M
```

```
# Force the latest IE version, in various cases when it may fall back to IE7 mode
```

```
# github.com/rails/rails/commit/123eb25#commitcomment-118920
```

```
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
```

```
<IfModule mod_setenvif.c>
```

```
  <IfModule mod_headers.c>
```

```
    BrowserMatch MSIE ie
```

```
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
```

```
  </IfModule>
```

```
</IfModule>
```

```
# cache rules
```

```
<IfModule mod_expires.c>
```

```
  ExpiresActive on
```

```
# rss feed
```

```
ExpiresByType application/rss+xml      "access plus 1 hour"
```

```
# favicon (cannot be renamed)
```

```
ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
```

```
# webfonts
```

```
ExpiresByType font/truetype             "access plus 1 month"
```

```
ExpiresByType font/opentype            "access plus 1 month"
```

```
ExpiresByType font/woff                 "access plus 1 month"
```

```
ExpiresByType image/svg+xml            "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
# css and javascript
```

```
ExpiresByType text/css                  "access plus 1 month"
```

```
ExpiresByType application/javascript    "access plus 1 month"
```

```
ExpiresByType text/javascript           "access plus 1 month"
```

```
ExpiresByType text/javascript access plus 1 month
```

```
Header append Cache-Control "public"
```

```
</IfModule>
```

```
# rewrite rules
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
# allow versioning of asset files (e.g. /123/css/screen.css)
```

```
RewriteRule ^([0-9a-z]+)/(\.css|.js|.media)/(\.*) $2/$3 [L]
```

```
# admin route
```

```
RewriteRule ^admin /g/content/admin [R,L]
```

```
# require no-www
```

```
# RewriteCond %{HTTP_HOST} ^www\. muziepkhuis\. nl$ [NC]
```

```
# RewriteRule ^(\. *)$ http://muziepkhuis.nl/$1 [R=301,L]
```

```
# Disregard slash at the end of request
```

```
RewriteRule ^(\. *)/$ /$1 [L]
```

```
# Work with Zend static cacheRewriteCond %{REQUEST_METHOD} GET
```

```
RewriteCond %{DOCUMENT_ROOT}/cached/index.html -f
```

```
RewriteRule ^/*$ cached/index.html [L]
```

```
RewriteCond %{QUERY_STRING} .+
```

```
RewriteCond %{REQUEST_METHOD} GET
```

```
RewriteCond %{DOCUMENT_ROOT}/cached/%{REQUEST_URI}\?%{QUERY_STRING}\.html -f
```

```
RewriteRule .* cached/%{REQUEST_URI}\%3F%{QUERY_STRING}\.html [L]
```

```
RewriteCond %{REQUEST_METHOD} GET
```

```
RewriteCond %{DOCUMENT_ROOT}/cached/%{REQUEST_URI}\.html -f
```

```
RewriteRule .* cached/%{REQUEST_URI}\.html [L]
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
RewriteRule ^.*$ index.php [NC,L]
```

```
</IfModule>
```