

```
Options FollowSymLinks
AddDefaultCharset utf-8
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    # the main rewrite rule for the frontend application
```

```
    RewriteCond %{REQUEST_URI} !^(adminpanel/web|admin)
```

```
    RewriteRule !^frontend/web /frontend/web%{REQUEST_URI} [L]
```

```
    # redirect to the page without a trailing slash (uncomment if necessary)
```

```
    #RewriteCond %{REQUEST_URI} ^/admin/$
```

```
    #RewriteRule ^(admin)/ /$1 [L,R=301]
```

```
    # the main rewrite rule for the backend application
```

```
    RewriteCond %{REQUEST_URI} ^/admin
```

```
    RewriteRule ^admin(.*) /adminpanel/web/$1 [L]
```

```
    # if a directory or a file of the frontend application exists, use the request directly
```

```
    RewriteCond %{REQUEST_URI} ^/frontend/web
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    # otherwise forward the request to index.php
```

```
    RewriteRule . /frontend/web/index.php [L]
```

```
    # if a directory or a file of the backend application exists, use the request directly
```

```
    RewriteCond %{REQUEST_URI} ^/adminpanel/web
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
    # otherwise forward the request to index.php
```

```
    RewriteRule . /adminpanel/web/index.php [L]
```

```
    RewriteCond %{REQUEST_URI} \. (htaccess|htpasswd|svn|git)
```

```
    RewriteRule \. (htaccess|htpasswd|svn|git) - [F]
```

```
</IfModule>
```