

```
#####
#////////////////////////////////////////////////////////////////////
#/ Café Central (http://localhost/ccv4/root)
#/ COPYRIGHT 2011 Café Central
#/ FICHER .htaccess
#/ TYPE URL rewriting
#/ GENERATED x
#////////////////////////////////////////////////////////////////////
#####

#####
# DVH
#####
SetEnv PHP_VER 5_4

#####
# Better website experience for IE users
#####
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    BrowserMatch MSIE ie
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
  </IfModule>
</IfModule>

<IfModule mod_headers.c>
  Header append Vary User-Agent
</IfModule>

#####
# Expires headers (for better cache control)
#####

# these are pretty far-future expires headers
# they assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

# if you don't use filenames to version, lower the css and js to something like
# "-----" "-----" "-----"
```



```

ExpiresByType application/font-woff      "access plus 1 month"
ExpiresByType image/svg+xml             "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# css and javascript
ExpiresByType text/css                   "access plus 2 months"
ExpiresByType application/javascript     "access plus 2 months"
ExpiresByType text/javascript            "access plus 2 months"

<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>
</IfModule>

#####
# ETag removal
#####
# Since we're sending far-future expires, we don't need ETags for static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None
#####
# Ordres à Apache pour la réécriture d'URL
#####
Options +FollowSymlinks
RewriteEngine on
# Directory index (allows for a temporary index.html)
DirectoryIndex index.html node.php
#####
# General Rewriting
#####

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{QUERY_STRING} (.*)
RewriteRule ^(.*) node.php [L]
#####
# UTF-8 encoding
#####
# use utf-8 encoding for anything served text/plain or text/html
AddDefaultCharset utf-8
# force utf-8 for a number of file formats

```

```
AddCharset utf-8 .html .css .js .xml .json .rss
#####:
# GZIP
#####:
    AddOutputFilterByType DEFLATE text/css application/javascript
#####:
# A little more security
#####:
Options -Indexes
DirectoryIndex template.php

# Pour corriger le bug : https://bugs.php.net/bug.php?id=55544. DWH users, this is for you
php_flag zlib.output_compression off
```