

```
<ifModule mod_headers.c>
# Turn on Expires and set default expires to 3 days
ExpiresActive On
ExpiresDefault A259200

# Set up caching on media files for 1 month
<filesMatch ".(ico|gif|jpg|jpeg|png|flv|pdf|swf|mov|mp3|wmv|ppt)$">
ExpiresDefault A2419200
Header append Cache-Control "public"
</filesMatch>

# Set up 2 Hour caching on commonly updated files
<filesMatch ".(xml|txt|html|js|css)$">
ExpiresDefault A7200
Header append Cache-Control "private, must-revalidate"
</filesMatch>

# Force no caching for dynamic files
<filesMatch ".(php|cgi|pl|htm)$">
ExpiresDefault A0
Header set Cache-Control "no-store, no-cache, must-revalidate, max-age=0"
Header set Pragma "no-cache"
</filesMatch>
</ifModule>

# maybe add these http://www.queness.com/post/5421/17-useful-htaccess-tricks-and-tips

#404 page
ErrorDocument 404 /build/404.html

# sets mime type for fonts
AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff
AddType application/rdf+xml .rdf
AddType application/ld+json .json

# embed audio
AddType audio/mid .mid
AddType audio/midi .midi
```

```
Header add ALL-YOUR-BASE .m1 01 .m1 01
```

```
# Add the following headers to every response
```

```
Header add ALL-YOUR-BASE "ARE BELONG TO US"
```

```
Header add X-Apples "How do you like them?"
```

```
Header add X-BAMF "Jimmy Ha"
```

```
Header add X-Clue-Number-One "Stand by for further instructions."
```

```
RewriteEngine On
```

```
# rewrite all http://www- traffic to just http:// traffic
```

```
RewriteCond %{HTTP_HOST} !^herereadthis.com$ [NC]
```

```
RewriteRule ^(.*)$ http://herereadthis.com/$1 [L,R=301]
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteCond %{REQUEST_FILENAME}\.rdf -f
```

```
RewriteRule ^(.*)$ $1.rdf
```

```
# redirect all urls that doesn't have a trailing slash to urls with a trailing slash
```

```
RewriteBase /
```

```
# files that are existing will not get a slash added
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
# url that shouldn't be rewritten
```

```
RewriteCond %{REQUEST_URI} !build/xml/foaf
```

```
RewriteCond %{REQUEST_URI} !build/xml/foaf#me
```

```
# fires when a urls doesn't contain a trailing slash
```

```
RewriteCond %{REQUEST_URI} !(.*)/$
```

```
# 301 redirect to the url with the trailing slash appended
```

```
RewriteRule ^(.*)$ http://herereadthis.com/$1/ [L,R=301]
```

```
# redirects index.html to root
```

```
# redirect html pages to the root domain
```

```
RewriteRule ^index\.html$ / [NC,R,L]
```

```
<ifModule mod_headers.c>
```

```
# Turn on Expires and set default expires to 3 days
```

```
ExpiresActive On
```

```
ExpiresDefault A259200
```

```
# Set up caching on media files for 1 month
```

```
ExpiresByType image/jpeg A604800
```

```
<filesMatch ".(ico|gif|jpg|jpeg|png|flv|pdf|swf|mov|mp3|wmv|ppt)$">
```

```
ExpiresDefault A2419200
```

```
Header append Cache-Control "public"
```

```
</filesMatch>
```

```
# Set up 2 Hour caching on commonly updated files
```

```
<filesMatch ".(xml|txt|html|js|css)$">
```

```
ExpiresDefault A7200
```

```
Header append Cache-Control "private, must-revalidate"
```

```
</filesMatch>
```

```
# Force no caching for dynamic files
```

```
<filesMatch ".(php|cgi|pl|htm)$">
```

```
ExpiresDefault A0
```

```
Header set Cache-Control "no-store, no-cache, must-revalidate, max-age=0"
```

```
Header set Pragma "no-cache"
```

```
</filesMatch>
```

```
</ifModule>
```

```
# maybe add these http://www.queness.com/post/5421/17-useful-htaccess-tricks-and-tips
```

```
#404 page
```

```
ErrorDocument 404 /build/404.html
```

```
# sets mime type for fonts
```

```
AddType application/vnd.ms-fontobject .eot
```

```
AddType font/ttf .ttf
```

```
AddType font/otf .otf
```

```
AddType application/x-font-woff .woff
```

```
AddType application/rdf+xml .rdf
```

```
AddType application/ld+json .json
```

```
# embed audio
```

```
AddType audio/mid .mid
```

```
AddType audio/midi .midi
```

```
# Add the following headers to every response
```

```
Header add ALL-YOUR-BASE "ARE BELONG TO US"
```

```
Header add X-Apples "How do you like them?"
```

```
Header add X-BAMF "Jimmy Ha"
```

```
Header add X-Clue-Number-One "Stand by for further instructions."
```

RewriteEngine On

rewrite all http://www- traffic to just http:// traffic

RewriteCond %{HTTP_HOST} !^herereadthis.com\$ [NC]

RewriteRule ^(.*)\$ http://herereadthis.com/\$1 [L,R=301]

RewriteCond %{REQUEST_FILENAME} !-d

RewriteCond %{REQUEST_FILENAME}\.rdf -f

RewriteRule ^(.*)\$ \$1.rdf

redirect all urls that doesn't have a trailing slash to urls with a trailing slash

RewriteBase /

files that are existing will not get a slash added

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_FILENAME} !-d

url that shouldn't be rewritten

RewriteCond %{REQUEST_URI} !build/xml/foaf

RewriteCond %{REQUEST_URI} !build/xml/foaf#me

fires when a urls doesn't contain a trailing slash

RewriteCond %{REQUEST_URI} !(.*)/\$

301 redirect to the url with the trailing slash appended

RewriteRule ^(.*)\$ http://herereadthis.com/\$1/ [L,R=301]

redirects index.html to root

redirect html pages to the root domain

RewriteRule ^index\.html\$ / [NC,R,L]