

```
RewriteCond %{SCRIPT_FILENAME} -d [OR]
RewriteCond %{SCRIPT_FILENAME} -f
RewriteRule "(\^/\)\." - [F]
RedirectMatch 404 /\..*$
```

```
<FilesMatch "(\\. (bak| config| dist| fl| incl| ini| log| psd| sh| sql| swp)| \")$" >
    Order allow,deny
    Deny from all
    Satisfy All
</FilesMatch>
```

```
Options All -Indexes
```

```
RewriteEngine on
```

```
RewriteCond %{HTTP_REFERER} !^$
RewriteCond %{HTTP_REFERER} !^http(s)?://(www\.)?ermi.es [NC]
RewriteRule \.(jpg|jpeg|png|gif)$ - [NC,F,L]
```

```
<IfModule mod_deflate.c>
```

```
# Forzar compresión también para las cabeceras malformadas
# http://developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping
```

```
<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)| ""(15)| -(15))$
^((gzip| deflate)\s*, ?\s*)+ [X"-]{4,13}$ HAVE_Accept-Encoding
        RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
    </IfModule>
</IfModule>
```

```
# Comprimir los contenidos que sean de cualquiera de estos tipos
```

```
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/x-web-app-manifest+json \
        application/xhtml+xml \
        text/css \
        text/html \
        text/plain \
        text/xml
```

```
application/xml \
font/opentype \
image/svg+xml \
image/x-icon \
text/css \
text/html \
text/plain \
text/x-component \
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on
```

```
ExpiresDefault "access plus 1 month"
```

```
# CSS
```

```
ExpiresByType text/css "access plus 1 year"
```

```
# Archivos relacionados con AJAX y Web Sockets
```

```
ExpiresByType application/json "access plus 0 seconds"
```

```
ExpiresByType application/xml "access plus 0 seconds"
```

```
ExpiresByType text/xml "access plus 0 seconds"
```

```
# Favicon
```

```
ExpiresByType image/x-icon "access plus 1 week"
```

```
# Componentes HTML (HTCs)
```

```
ExpiresByType text/x-component "access plus 1 month"
```

```
# HTML
```

```
ExpiresByType text/html "access plus 0 seconds"
```

```
# JavaScript
```

```
ExpiresByType application/javascript "access plus 1 year"
```

```
# Manifest
```

```
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
```

```
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

```
# Fin de configuración
```

Fotos, videos y audio

```
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
```

Canales RSS y Atom

```
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"
```

Fuentes web

```
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
```

</IfModule>

Servir contenidos de tipo text/plain o text/html usando la codificación UTF-8

```
AddDefaultCharset utf-8
```

Forzar la codificación UTF-8 en varios tipos de archivos

```
AddCharset utf-8 .atom .css .js .json .rss .vtt .xml
```

BEGIN WordPress

```
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %(REQUEST_FILENAME) !-f
RewriteCond %(REQUEST_FILENAME) !-d
RewriteRule . /index.php [L]
</IfModule>
```

END WordPress

BEGIN WP Performance Score Booster Settings

```
## BEGIN Enable GZIP Compression ##
```

```
<IfModule mod_deflate.c>
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/x-httpd-php
AddOutputFilterByType DEFLATE application/x-httpd-fastphp
AddOutputFilterByType DEFLATE image/svg+xml
SetOutputFilter DEFLATE
</IfModule>

## END Enable GZIP Compression ##

## BEGIN Vary: Accept-Encoding Header ##
<IfModule mod_headers.c>
<FilesMatch "\.(js|css|xml|gz)$">
Header append Vary: Accept-Encoding
</FilesMatch>
</IfModule>

## END Vary: Accept-Encoding Header ##

## BEGIN Expires Caching (Leverage Browser Caching) ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access 2 week"
ExpiresByType image/jpeg "access 2 week"
ExpiresByType image/gif "access 2 week"
ExpiresByType image/png "access 2 week"
ExpiresByType text/css "access 2 week"
ExpiresByType application/pdf "access 2 week"
ExpiresByType text/x-javascript "access 2 week"
ExpiresByType application/x-shockwave-flash "access 2 week"
ExpiresByType image/x-icon "access 2 week"
ExpiresDefault "access 2 week"
</IfModule>

## END Expires Caching (Leverage Browser Caching) ##
```

END WP Performance Score Booster Settings

300 5 MIN
600 10 MIN
900 15 MIN
1800 30 MIN
2700 45 MIN
3600 1 HR
7200 2 HR
10800 3 HR
14400 4 HR
18000 5 HR
36000 10 HR
39600 11 HR
43200 12 HR
46800 13 HR
50400 14 HR
54000 15 HR
86400 1 DAY
172800 2 DAY
259200 3 DAY
345600 4 DAY
432000 5 DAY
518400 6 DAY
604800 1 WEEK
1209600 2 WEEK
1814400 3 WEEK
2419200 4 WEEK
4838400 2 MONTH
7257600 3 MONTH
9676800 4 MONTH
12096000 5 MONTH
14515200 6 MONTH
16934400 7 MONTH
19353600 8 MONTH
21772800 9 MONTH
24192000 10 MONTH
26611200 11 MONTH
29030400 12 MONTH

RewriteEngine On

RewriteCond %{SERVER_PORT} 80

```
RewriteRule ^(.*)$ https://ermi.es/$1 [R=301,L]
```