

```
#####
# Settings for Winterberry
#



# don't show directory listings
Options -Indexes


# follow symbolic links in this directory
Options +FollowSymLinks


# set the default handler
DirectoryIndex index.php


# don't show .php files
<FilesMatch ".*\.\.php$">
    Order Allow,Deny
    Deny from all
</FilesMatch>

<FilesMatch "index\.\.php$">
    Order Allow,Deny
    Allow from all
</FilesMatch>


# redirect to index.php
ErrorDocument 400 /?sysID=1
ErrorDocument 401 /?sysID=1
ErrorDocument 402 /?sysID=1
ErrorDocument 403 /?sysID=1
ErrorDocument 404 /?sysID=1
ErrorDocument 405 /?sysID=1
ErrorDocument 406 /?sysID=1
ErrorDocument 407 /?sysID=1
ErrorDocument 408 /?sysID=1
ErrorDocument 409 /?sysID=1
ErrorDocument 410 /?sysID=1
ErrorDocument 411 /?sysID=1
ErrorDocument 412 /?sysID=1
ErrorDocument 413 /?sysID=1
ErrorDocument 414 /?sysID=1
ErrorDocument 415 /?sysID=1
```

```
errorDocument 415 /?sysID=1
ErrorDocument 416 /?sysID=1
ErrorDocument 417 /?sysID=1
ErrorDocument 422 /?sysID=1
ErrorDocument 423 /?sysID=1
ErrorDocument 424 /?sysID=1
ErrorDocument 426 /?sysID=1
ErrorDocument 500 /?sysID=1
ErrorDocument 501 /?sysID=1
ErrorDocument 502 /?sysID=1
ErrorDocument 503 /?sysID=1
ErrorDocument 504 /?sysID=1
ErrorDocument 505 /?sysID=1
ErrorDocument 506 /?sysID=1
ErrorDocument 507 /?sysID=1
ErrorDocument 510 /?sysID=1

# PHP 5, Apache 1 and 2
<IfModule mod_php5.c>

    php_flag magic_quotes_gpc          off
    php_flag magic_quotes_sybase       off
    php_flag register_globals         off
    php_flag session.auto_start      off
    php_value mbstring.http_input     pass
    php_value mbstring.http_output    pass
    php_flag mbstring.encoding_translation off

</IfModule>

<IfModule mod_expires.c>

    # enable expirations
    ExpiresActive On

    # cache all files for 2 weeks after access (A)
    ExpiresDefault A1209600

    # do not allow PHP scripts to be cached
    <FileMatch \.php$>
```

```
ExpiresActive Off

</FilesMatch>

</IfModule>

# various rewrite rules
<IfModule mod_rewrite.c>

    RewriteEngine on

    # block access to hidden dot directories
    RewriteRule "(^/)\.", - [F]

    # if your site is running in a VirtualDocumentRoot
    RewriteBase /

    # pass all requests not referring directly to files to index.php
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^(.*)/$ index.php?pageID=$1 [QSA, NC, L]

    # rules to correctly serve gzip'd .css and .js files
    <IfModule mod_headers.c>

        # serve gzip'd .css files if they exist and the client accepts gzip
        RewriteCond %{HTTP:Accept-Encoding} gzip
        RewriteCond %{REQUEST_FILENAME}\.css -s
        RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

        # serve gzip'd .js files if they exist and the client accepts gzip
        RewriteCond %{HTTP:Accept-Encoding} gzip
        RewriteCond %{REQUEST_FILENAME}\.js -s
        RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

        # serve correct content types, and prevent mod_deflate double gzip
        RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
        RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

    <FilesMatch "\.(js|css)\.gz$">
```

```
Header set Content-Encoding gzip
Header append Vary Accept-Encoding

</FilesMatch>

</IfModule>

</IfModule>
```