

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "(\\. (engine|incl|info|install|module|profile|po|sh\\. *sql|theme|tpl(\\. php)?
|xml|)|code-style\\. pl|Entries\\. *|Repository|Root|Tag|Template)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Customized error messages.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php

# Override PHP settings. More in sites/default/settings.php
# but the following cannot be changed at runtime.

# PHP 4, Apache 1.
<IfModule mod_php4.c>
    php_value magic_quotes_gpc            0
    php_value register_globals            0
    php_value session.auto_start         0
    php_value mbstring.http_input        pass
    php_value mbstring.http_output       pass
    php_value mbstring.encoding_translation 0
</IfModule>

# PHP 4, Apache 2.
<IfModule sapi_apache2.c>
    php_value magic_quotes_gpc            0
    php_value register_globals            0
    php_value session.auto_start         0
    php_value mbstring.http_input        pass
    php_value mbstring.http_output       pass
    php_value mbstring.encoding_translation 0

```

```
php_value mbstring.http_input      pass
php_value mbstring.http_output     pass
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 5, Apache 1 and 2.

```
<IfModule mod_php5.c>
php_value magic_quotes_gpc         0
php_value register_globals         0
php_value session.auto_start       0
php_value mbstring.http_input      pass
php_value mbstring.http_output     pass
php_value mbstring.encoding_translation 0
</IfModule>
```

Requires mod_expires to be enabled.

```
<IfModule mod_expires.c>
  # Enable expirations.
  ExpiresActive On
  # Cache all files for 2 weeks after access (A).
  ExpiresDefault A1209600
  # Do not cache dynamically generated pages.
  ExpiresByType text/html A1
</IfModule>
```

Various rewrite rules.

```
<IfModule mod_rewrite.c>
  RewriteEngine on

  # If your site can be accessed both with and without the 'www.' prefix, you
  # can use one of the following settings to redirect users to your preferred
  # URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
  #
  # To redirect all users to access the site WITH the 'www.' prefix,
  # (http://example.com/... will be redirected to http://www.example.com/...)
  # adapt and uncomment the following:
  # RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
  # RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]
  #
  # To redirect all users to access the site WITHOUT the 'www.' prefix,
  # (http://www.example.com/... will be redirected to http://example.com/...)
  # adapt and uncomment the following:
  # RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
  # RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]
```

```

# adapt and uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
# RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]

# Modify the RewriteBase if you are using Drupal in a subdirectory and
# the rewrite rules are not working properly.
#RewriteBase /drupal

# Rewrite old-style URLs of the form 'node.php?id=x'.
#RewriteCond %{REQUEST_FILENAME} !-f
#RewriteCond %{REQUEST_FILENAME} !-d
#RewriteCond %{QUERY_STRING} ^id=(^[^&]+)$
#RewriteRule node.php index.php?q=node/view/%1 [L]

# Rewrite old-style URLs of the form 'module.php?mod=x'.
#RewriteCond %{REQUEST_FILENAME} !-f
#RewriteCond %{REQUEST_FILENAME} !-d
#RewriteCond %{QUERY_STRING} ^mod=(^[^&]+)$
#RewriteRule module.php index.php?q=%1 [L]

# Rewrite rules for static page caching provided by the Boost module:
# BOOST START
<IfModule mod_headers.c>
  Header add Expires "Sun, 19 Nov 1978 05:00:00 GMT"
  Header add Cache-Control "no-store, no-cache, must-revalidate, post-check=0, pre-
check=0"
</IfModule>
<IfModule mod_mime.c>
  AddCharset utf-8 .html
</IfModule>
RewriteCond %{REQUEST_METHOD} ^GET$
RewriteCond %{REQUEST_URI} ^/$
RewriteCond %{QUERY_STRING} ^$
RewriteCond %{HTTP_COOKIE} !DRUPAL_UID
RewriteCond %{DOCUMENT_ROOT}/cache/%{SERVER_NAME}/0/index.html -f
RewriteRule ^(.*)$ cache/%{SERVER_NAME}/0/index.html [L]
RewriteCond %{REQUEST_METHOD} ^GET$
RewriteCond %{REQUEST_URI} !^/cache
RewriteCond %{REQUEST_URI} !^/user/login
RewriteCond %{REQUEST_URI} !^/admin
RewriteCond %{QUERY_STRING} ^$

```

```
RewriteCond %{HTTP_COOKIE} !DRUPAL_UID
RewriteCond %{DOCUMENT_ROOT}/cache/%{SERVER_NAME}/0%{REQUEST_URI} -d
RewriteCond %{DOCUMENT_ROOT}/cache/%{SERVER_NAME}/0%{REQUEST_URI}/index.html -f
RewriteRule ^(.*)$ cache/%{SERVER_NAME}/0/$1/index.html [L]
RewriteCond %{REQUEST_METHOD} ^GET$
RewriteCond %{REQUEST_URI} !^/cache
RewriteCond %{REQUEST_URI} !^/user/login
RewriteCond %{REQUEST_URI} !^/admin
RewriteCond %{QUERY_STRING} ^$
RewriteCond %{HTTP_COOKIE} !DRUPAL_UID
RewriteCond %{DOCUMENT_ROOT}/cache/%{SERVER_NAME}/0%{REQUEST_URI}.html -f
RewriteRule ^(.*)$ cache/%{SERVER_NAME}/0/$1.html [L]
# BOOST END

# Rewrite current-style URLs of the form 'index.php?q=x'.
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
</IfModule>

# $Id: boosted.txt,v 1.2.2.3.2.5 2007/09/21 12:50:08 arto Exp $
```