

```
# sudo a2enmod rewrite deflate headers

#####
# Global PHP and Apache Configuration
#####

ContentDigest On

# Turn on Expires and set default to 0
ExpiresActive On
ExpiresDefault A0

php_flag display_errors Off
php_flag expose_php Off
php_value register_globals Off
ServerSignature Off
DefaultLanguage es-MX

#####
# UTF-8 encoding
#####

AddDefaultCharset utf-8

#####
# SSL if needed, friendly URLs and www removed
#####

<IfModule mod_rewrite.c>
  # enable symbolic links
  Options +FollowSymLinks
  #Options All -Indexes
  Options -Indexes
  IndexIgnore /*
  RewriteEngine on

  # accept connection only using https
  #RewriteCond %{HTTPS} !=on
  #RewriteRule .* https://%{SERVER_NAME}%{REQUEST_URI} [R,L]

  # If a directory exists, the rewrite rule is disabled.
```

```
# If a directory or a file exists, use it directly
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

# otherwise forward it to index.php
RewriteRule . index.php

# Denies POST requests by blank user-agents. May prevent a small number of visitors from
POSTING
RewriteCond %{REQUEST_METHOD} =POST
RewriteCond %{HTTP_USER_AGENT} ^-?$
RewriteCond %{REQUEST_URI} !^(/|.|* [NC]
RewriteRule .* - [F,NS,L]

# Disable easter egg php
RewriteCond %{QUERY_STRING} \=PHP[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-
f]{12} [NC]
RewriteRule .* - [F]

</IfModule>

#####
# Security
#####

# secure htaccess file
<files .htaccess>
    #order allow,deny
    #deny from all
    Require all denied
</files>

#####
# Cache and compression
#####

<ifModule mod_php5.c>
    php_value zlib.output_compression 16386
</ifModule>

<ifModule mod_gzip.c>
```

```
<IfModule mod_headers.c>
  Header add X-Enabled mod_gzip
</IfModule>
</ifModule>

<IfModule mod_deflate.c>
  <FilesMatch "\.(js|css)$">
    SetOutputFilter DEFLATE
  </FilesMatch>

  Header add x-enabled mod_deflate

  <IfModule mod_headers.c>
    Header append Vary User-Agent
  </IfModule>
</IfModule>

<IfModule mod_headers.c>
  Header add x-content-type-options "nosniff"
  Header add x-frame-options "SAMEORIGIN"
  Header add x-xss-protection: "1; mode=block"
  Header add X-Pingback: http://qompit.com/ping
</ifModule>
```