

```

# BEGIN WpFastestCache
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{HTTP_HOST} ^jep-heroes.com
RewriteRule ^(.*)$ http://www.jep-heroes.com/$1 [R=301,L]
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{HTTPS} !=on
RewriteCond %{REQUEST_URI} !(\.)(2)$
RewriteCond %{QUERY_STRING} !.+
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(.*(iphonel midpl sonyl symbosl nokia| samsung| mobile| epoc| erics|
| portalmmml blazer| avantgol danger| palm| series50| palmsourcel pocketpc| android| blackberry| playb
Browser| Nokia309| Casper_VIA).*$ [NC]
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/all/$1/index.html -f [or]
RewriteCond /home/jepheroe/public_html/wp-content/cache/all/$1/index.html -f
RewriteRule ^(.*)$ "/wp-content/cache/all/$1/index.html" [L]
</IfModule>
<FilesMatch "\.(html|htm)$">
AddDefaultCharset UTF-8
<ifModule mod_headers.c>
FileETag None
Header unset ETag
Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
Header set Pragma "no-cache"
Header set Expires "Mon, 29 Oct 1923 20:30:00 GMT"
</ifModule>
</FilesMatch>
# END WpFastestCache
# BEGIN GzipWpFastestCache
<IfModule mod_deflate.c>
AddType x-font/woff .woff
AddOutputFilterByType DEFLATE image/svg+xml
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE text/javascript
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/javascript

```

```
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/x-font-ttf
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
AddOutputFilterByType DEFLATE font/opentype font/ttf font/eot font/otf
</IfModule>
# END GzipMpFastestCache
# BEGIN LBCMpFastestCache
<FilesMatch "\.(?:ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf|xhtml|css|xml|js|woff|woff2|ttf)
<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault A0
ExpiresByType image/gif A2592000
ExpiresByType image/png A2592000
ExpiresByType image/jpg A2592000
ExpiresByType image/jpeg A2592000
ExpiresByType image/ico A2592000
ExpiresByType image/svg+xml A2592000
ExpiresByType text/css A2592000
ExpiresByType text/javascript A2592000
ExpiresByType application/javascript A2592000
</IfModule>
<IfModule mod_headers.c>
Header set Expires "max-age=2592000, public"
Header unset ETag
Header set Connection keep-alive
FileETag None
</IfModule>
</FilesMatch>
# END LBCMpFastestCache
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
# END WordPress
```

```
# END WordPress
# BEGIN Hotlinking
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteCond %{HTTP_REFERER} !^$
RewriteCond %{HTTP_REFERER} !^http://www.jep-heroes.com/.*$ [NC]
RewriteRule \.(pdf|doc|docx|odt|rtf|txt)$ [R=302,L]
</IfModule>
# END Hotlinking
# BEGIN Force Download
AddType application/octet-stream .pdf .txt
# END Force Download
```