

```
#####  
### Blocks unwanted file access ###  
#####
```

```
<IfModule mod_autoindex.c>
```

```
Options -Indexes
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteCond %{REQUEST_URI} "!(^/)\.well-known/([^. /]+. /?)+$" [NC]
```

```
RewriteCond %{SCRIPT_FILENAME} -d [OR]
```

```
RewriteCond %{SCRIPT_FILENAME} -f
```

```
RewriteRule "(^/)\." - [F]
```

```
</IfModule>
```

```
#####  
### Don't send unnecessary headers ###  
#####
```

```
<IfModule mod_headers.c>
```

```
Header unset X-Powered-By
```

```
</IfModule>
```

```
ServerSignature Off
```

```
#####  
### Compression ###  
#####
```

```
<IfModule mod_deflate.c>
```

```
<IfModule mod_setenvif.c>
```

```
<IfModule mod_headers.c>
```

```
SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodngl X(15)|^(15)|-(15))$
```

```
^( (gzip| deflate)\s*, ?\s*)+ [X"-]{4,13}$ HAVE_Accept-Encoding
```

```
RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
</IfModule>
```

```
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE "application/atom+xml" \
    "application/javascript" \
    "application/x-font-ttf" \
    "application/x-javascript" \
    "application/xml" \
    "font/eot" \
    "font/opentype" \
    "image/svg+xml" \
    "image/x-icon" \
    "text/css" \
    "text/html" \
    "text/javascript" \
    "text/plain" \
    "text/vcard" \
    "text/xml"
```

```
</IfModule>
```

```
<IfModule mod_mime.c>
```

```
  AddEncoding gzip          svgz
```

```
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
  Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
<IfModule mod_expires.c>
```

```
  ExpiresActive on
```

```
  ExpiresDefault "access plus 1 month"
```

```
  # CSS
```

```
  ExpiresByType text/css "access plus 1 month"
```

```
  # Data interchange
```

```
  ExpiresByType application/xml "access plus 0 seconds"
```

```
  ExpiresByType text/xml "access plus 0 seconds"
```

```
  # HTML
```

```
  ExpiresByType text/html "access plus 0 seconds"
```

```
  # JavaScript
```

```
  ExpiresByType application/javascript "access plus 0 seconds"
```

```
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType application/x-javascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"
# Media files
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
# Web fonts
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType font/eot "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
ExpiresByType application/font-woff2 "access plus 1 month"
</IfModule>
```