

```
# -----  
# Webfont access  
# -----  
  
# Allow access from all domains for webfonts.  
# Alternatively you could only whitelist your  
# subdomains like "subdomain.example.com".  
  
<IfModule mod_headers.c>  
  <FilesMatch "\.(ttf|tcl|otf|eot|woff|font. css)$">  
    Header set Access-Control-Allow-Origin "*"   
  </FilesMatch>  
</IfModule>  
  
# -----  
# Proper MIME type for all files  
# -----  
  
# JavaScript  
# Normalize to standard type (it's sniffed in IE anyways)  
# tools.ietf.org/html/rfc4329#section-7.2  
AddType application/javascript      js  
  
# Audio  
AddType audio/ogg                   oga ogg  
AddType audio/mp4                   m4a  
  
# Video  
AddType video/ogg                    ogv  
AddType video/mp4                    mp4 m4v  
AddType video/webm                   webm  
  
# SVG  
# Required for svg webfonts on iPad  
# twitter.com/FontSquirrel/status/14855840545  
AddType image/svg+xml               svg svgz  
AddEncoding gzip                     svgz  
  
# Webfonts  
AddType application/vnd.ms-fontobject eot  
AddType application/x-font-ttf        ttf ttf-  
AddType application/x-font-woff       woff
```

```
AddType application/x-font-woff ttf otf
AddType font/opentype otf
AddType application/x-font-woff woff
```

Assorted types

```
AddType image/x-icon ico
AddType image/webp webp
AddType text/cache-manifest appcache manifest
AddType text/x-component htc
AddType application/xml rss atom xml rdf
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-xpinstall xpi
AddType application/octet-stream safariextz
AddType application/x-web-app-manifest+json webapp
AddType text/x-vcard vcf
```

```
# -----
# Start rewrite engine
# -----
```

RewriteEngine On

```
# If you installed Flux in a subfolder, you will need to
# change the following line to match the subfolder you need.
# http://httpd.apache.org/docs/current/mod/mod\_rewrite.html #rewritebase
#RewriteBase /flux/Ajax-FluxCP/
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule !\.(js|ico|gif|jpg|png|css|pdf|swf|flv)$ index.php [QSA]
```

```
# Rewrite "www.example.com -> example.com"
```

```
<IfModule mod_rewrite.c>
  RewriteCond %{HTTPS} !=on
  RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
  RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>
```

```
# -----
"-----"
```

```
# UTF-8 encoding
```

```
# -----
```

```
# Use UTF-8 encoding for anything served text/plain or text/html
```

```
AddDefaultCharset utf-8
```

```
# Force UTF-8 for a number of file formats
```

```
AddCharset utf-8 .css .js .xml .json .rss .atom
```

```
# Block access to "hidden" directories whose names begin with a period. This  
# includes directories used by version control systems such as Subversion or Git.
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteCond %{SCRIPT_FILENAME} -d
```

```
    RewriteCond %{SCRIPT_FILENAME} -f
```

```
    RewriteRule "(^/)\." - [F]
```

```
</IfModule>
```

```
<IfModule !mod_rewrite.c>
```

```
    # If we don't have mod_rewrite installed, all 404's
```

```
    # can be sent to index.php, and everything works as normal.
```

```
    # Submitted by: ElliotHaughin
```

```
    ErrorDocument 404 index.php
```

```
</IfModule>
```