

```

#
# Apache/PHP/Drupal settings:
#

Redirect 301 /hoteles.php http://www.hotelesdann.com/es/
Redirect 301 /paginas_internas/bogota/carlton_bogota/casa_dann_bog.php
http://www.hotelesdann.com/es/node/8
Redirect 301 /contactenos.php http://www.hotelesdann.com/es/
Redirect 301 /quienes.php http://www.hotelesdann.com/es/
Redirect 301 /actualidad.php http://www.hotelesdann.com/es/
Redirect 301 /reservas_dann.htm http://www.hotelesdann.com/es/
Redirect 301 /salones.php http://www.hotelesdann.com/es/
Redirect 301 /promociones.php http://www.hotelesdann.com/es/
Redirect 301 /reservas_dann.htm http://www.hotelesdann.com/es/
Redirect 301 /paginas_internas/ibague/dann_combeima/casa_dann_bog.html
http://www.hotelesdann.com/node/5
Redirect 301 /paginas_internas/medellin/dc_medellin/casa_dann_bog.php
http://www.hotelesdann.com/es/node/275
Redirect 301 /catalogo http://www.flickr.com/photos/hotelesdann/
Redirect 301 /node/8 http://www.hotelesdann.com/es/casa-dann-carlton-hotel-spa-bogota

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?
|xtmpl)$|^(\. *|Entries.*|Repository|Root|Tag|Template)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Force simple error message for requests for non-existent favicon.ico.
<Files favicon.ico>
    # There is no end quote below, for compatibility with Apache 1.3.
    ErrorDocument 404 "The requested file favicon.ico was not found."

```

ErrorDocument 404 /the requested file favicon.ico was not found.

</Files>

Set the default handler.

DirectoryIndex index.php index.html index.htm

Override PHP settings that cannot be changed at runtime. See

sites/default/default.settings.php and drupal_initialize_variables() in

includes/bootstrap.inc for settings that can be changed at runtime.

PHP 5, Apache 1 and 2.

<IfModule mod_php5.c>

php_flag magic_quotes_gpc off

php_flag magic_quotes_sybase off

php_flag register_globals off

php_flag session.auto_start off

php_value mbstring.http_input pass

php_value mbstring.http_output pass

php_flag mbstring.encoding_translation off

</IfModule>

Requires mod_expires to be enabled.

<IfModule mod_expires.c>

Enable expirations.

ExpiresActive On

Cache all files for 2 weeks after access (A).

ExpiresDefault A1209600

<FilesMatch \.php\$>

Do not allow PHP scripts to be cached unless they explicitly send cache

headers themselves. Otherwise all scripts would have to overwrite the

headers set by mod_expires if they want another caching behavior. This may

fail if an error occurs early in the bootstrap process, and it may cause

problems if a non-Drupal PHP file is installed in a subdirectory.

ExpiresActive Off

</FilesMatch>

</IfModule>

Various rewrite rules.

<IfModule mod_rewrite.c>

RewriteEngine on

```
# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or
# Git to store control files. Files whose names begin with a period, as well
# as the control files used by CVS, are protected by the FilesMatch directive
# above.
```

```
#
```

```
# NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
# not possible to block access to entire directories from .htaccess, because
# <DirectoryMatch> is not allowed here.
```

```
#
```

```
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
```

```
RewriteRule "(^/)\." - [F]
```

```
# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
```

```
#
```

```
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
```

```
# RewriteCond %{HTTP_HOST} !^www\. [NC]
```

```
# RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
```

```
#
```

```
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
```

```
# RewriteCond %{HTTP_HOST} ^www\. (.+)$ [NC]
```

```
# RewriteRule ^ http://%1%{REQUEST_URI} [L,R=301]
```

```
# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
```

```
# RewriteBase /drupal
```

```
#
```

```
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
```

```
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(\.*)\.css$ $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(\.*)\.js$ $1\.js\.gz [QSA]

  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

  <FilesMatch "(\.js\.gz|\.css\.gz)$">
    # Serve correct encoding type.
    Header append Content-Encoding gzip
    # Force proxies to cache gzipped & non-gzipped css/js files separately.
    Header append Vary Accept-Encoding
  </FilesMatch>
</IfModule>
</IfModule>
```