

```

<Files *.css>
  SetOutputFilter DEFLATE
</Files>

<Files *.js>
  SetOutputFilter DEFLATE
</Files>

### BOOST START ###

# Allow for alt paths to be set via htaccess rules; allows for cached variants (future
mobile support)
RewriteRule .* - [E=boostpath:tmp]

# Caching for anonymous users
# Skip boost IF not get request OR uri has wrong dir OR cookie is set OR request came
from this server OR https request
RewriteCond %{REQUEST_METHOD} !^(GET|HEAD)$ [OR]
RewriteCond %{REQUEST_URI}
(</admin|tmp/misc/modules/sites/system/openid/themes/node/add/comment/reply)>|
(</edit|user/user/<login|password/register>)>$) [OR]
RewriteCond %{HTTPS} on [OR]
RewriteCond %{HTTP_COOKIE} DRUPAL_UID [OR]
RewriteCond %{ENV:REDIRECT_STATUS} 200
RewriteRule .* - [S=3]

# GZIP
RewriteCond %{HTTP:Accept-encoding} !gzip
RewriteRule .* - [S=1]
RewriteCond %{DOCUMENT_ROOT}/tmp/%{ENV:boostpath}/juanruedaconinternational.com%
{REQUEST_URI}%{QUERY_STRING}\.html -s
RewriteRule .* tmp/%{ENV:boostpath}/juanruedaconinternational.com%{REQUEST_URI}%
{QUERY_STRING}\.html [L,T=text/html,E=no-gzip:1]

# NORMAL
RewriteCond %{DOCUMENT_ROOT}/tmp/%{ENV:boostpath}/juanruedaconinternational.com%
{REQUEST_URI}%{QUERY_STRING}\.html -s
RewriteRule .* tmp/%{ENV:boostpath}/juanruedaconinternational.com%{REQUEST_URI}%
{QUERY_STRING}\.html [L,T=text/html]

### BOOST END ###

```

```
### BUDDI END ###
```

```
#
```

```
# Apache/PHP/Drupal settings:
```

```
#
```

```
# Protect files and directories from prying eyes.
```

```
<FilesMatch "\.  
(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?  
|xhtml)$|^(\. *|Entries.*|Repository|Root|Tag|Template)$">  
    Order allow,deny  
</FilesMatch>
```

```
# Don't show directory listings for URLs which map to a directory.
```

```
Options -Indexes
```

```
# Follow symbolic links in this directory.
```

```
Options +FollowSymLinks
```

```
# Make Drupal handle any 404 errors.
```

```
ErrorDocument 404 /index.php
```

```
# Set the default handler.
```

```
DirectoryIndex index.php index.html index.htm
```

```
# Override PHP settings that cannot be changed at runtime. See
```

```
# sites/default/default.settings.php and drupal_environment_initialize() in
```

```
# includes/bootstrap.inc for settings that can be changed at runtime.
```

```
# PHP 5, Apache 1 and 2.
```

```
<IfModule mod_php5.c>  
    php_flag magic_quotes_gpc                off  
    php_flag magic_quotes_sybase            off  
    php_flag register_globals                off  
    php_flag session.auto_start              off  
    php_value mbstring.http_input            pass  
    php_value mbstring.http_output           pass  
    php_flag mbstring.encoding_translation   off  
</IfModule>
```

```
# Requires mod_expires to be enabled.
```

```
<IfModule mod_expires.c>
  # Enable expirations.
  ExpiresActive On

  # Cache all files for 2 weeks after access (A).
  ExpiresDefault A1209600

<FilesMatch \.php$>
  # Do not allow PHP scripts to be cached unless they explicitly send cache
  # headers themselves. Otherwise all scripts would have to overwrite the
  # headers set by mod_expires if they want another caching behavior. This may
  # fail if an error occurs early in the bootstrap process, and it may cause
  # problems if a non-Drupal PHP file is installed in a subdirectory.
  ExpiresActive Off
</FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
  RewriteEngine on

  # Block access to "hidden" directories whose names begin with a period. This
  # includes directories used by version control systems such as Subversion or
  # Git to store control files. Files whose names begin with a period, as well
  # as the control files used by CVS, are protected by the FilesMatch directive
  # above.
  #
  # NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
  # not possible to block access to entire directories from .htaccess, because
  # <DirectoryMatch> is not allowed here.
  #
  # If you do not have mod_rewrite installed, you should remove these
  # directories from your webroot or otherwise protect them from being
  # downloaded.
  RewriteRule "(^|/)\." - [F]

  # If your site can be accessed both with and without the 'www.' prefix, you
  # can use one of the following settings to redirect users to your preferred
  # URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
  #
  # To redirect all users to access the site WITH the 'www.' prefix,
```

```
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\. (.+)$ [NC]
# RewriteRule ^ http://%1%{REQUEST_URI} [L,R=301]

# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
  Header set Connection keep-alive
  # Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js $1\.js\.gz [QSA]
```

```
# Serve correct content types, and prevent mod_deflate double gzip.
RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

<FilesMatch "(\.js\.gz|\.css\.gz)$">
  # Serve correct encoding type.
  Header set Content-Encoding gzip
  # Force proxies to cache gzipped & non-gzipped css/js files separately.
  Header append Vary Accept-Encoding
</FilesMatch>
</IfModule>
</IfModule>
```