

```

## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access 1 year"
ExpiresByType image/jpeg "access 1 year"
ExpiresByType image/gif "access 1 year"
ExpiresByType image/png "access 1 year"
ExpiresByType text/css "access 1 month"
ExpiresByType application/pdf "access 1 month"
ExpiresByType text/x-javascript "access 1 month"
ExpiresByType application/x-shockwave-flash "access 1 month"
ExpiresByType image/x-icon "access 1 year"
ExpiresDefault "access 2 days"
</IfModule>

## EXPIRES CACHING ##

RewriteEngine On
Redirect 301 /plumbers-orange-county/ http://mikediamondservices.com/plumbing-heating-air-co
Redirect 301 /stoppages.html http://mikediamondservices.com/stoppages/
Redirect 301 /home/ http://mikediamondservices.com
Redirect 301 /plumbers-van-nuys/ http://mikediamondservices.com/plumbing-heating-air-conditi
Redirect 301 /plumbers-long-beach/ http://mikediamondservices.com/plumbing-heating-air-condi
Redirect 301 /plumbers-los-angeles/ http://mikediamondservices.com/plumbing-heating-air-conc

RewriteCond %{HTTP_HOST} ^mikediamondservices\.com$ [OR]
RewriteCond %{HTTP_HOST} ^www\.mikediamondservices\.com$
RewriteRule ^good\~plumber\/(?\.*)$ "http://mikediamondservices.com/the\~smell\~good\~pl

# BEGIN WPSuperCache
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
#If you serve pages from behind a proxy you may want to change 'RewriteCond %{HTTPS} on' to
AddDefaultCharset UTF-8
RewriteCond %{REQUEST_URI} !^\.*/$
RewriteCond %{REQUEST_URI} !^\.*/\.$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !, *=, *
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:User-Agent} !^.*(MSIE|Opera|Firefox|Safari|Chrome|Edge|IE|MSIE|Opera|Firefox|Safari|Chrome|Edge|IE)

```

```
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portat
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul|maui|maxo|midp|mits|mmef|mobil|mot-l|motol|mubp|nec-l|newt|noki|palm|panal|pant|phill|play;
mol|tel|tim-l|tosh|tsm-l|upg|upsil|vk-v|vodal|wap-l|wapal|wapi|wappl|wapr|webc|winul|winul|xda\ |xd:
RewriteCond %{HTTP:Accept-Encoding} gzip
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^.*[^\/$]
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portat
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul|maui|maxo|midp|mits|mmef|mobil|mot-l|motol|mubp|nec-l|newt|noki|palm|panal|pant|phill|play;
mol|tel|tim-l|tosh|tsm-l|upg|upsil|vk-v|vodal|wap-l|wapal|wapi|wappl|wapr|webc|winul|winul|xda\ |xd:
RewriteCond %{HTTP:Accept-Encoding} gzip
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html.gz" [L]
```

```
RewriteCond %{REQUEST_URI} !^.*[^\/$]
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portat
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(u3c\ | u3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
```

```

llg\ul mauil maxol midpl mitsl mmepl mobil mot-l motol mwbpl nec-l newtl nokil palmi panal pantl phill playl ;
mol telil tim-l toshl tsm-l upgll upsil vk-vl vodol wap-l wapal wapl wappl wapri webcl winwl winwl xda\ l xda
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html" [L]

RewriteCond %{REQUEST_URI} !^.*[/]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(w3c\ |w3c-l|acs-l|alavl|alcal|amoil|audil|avani|benq|bird|blackb|
llg\ul mauil maxol midpl mitsl mmepl mobil mot-l motol mwbpl nec-l newtl nokil palmi panal pantl phill playl ;
mol telil tim-l toshl tsm-l upgll upsil vk-vl vodol wap-l wapal wapl wappl wapri webcl winwl winwl xda\ l xda
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{SERVER_NAME}/$1/index.html" [L]
</IfModule>

```

*# END WPSuperCache*

*# BEGIN W3TC Browser Cache*

```

<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
text/xsd text/xsl text/xml image/x-icon application/json
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>

```

*# END W3TC Browser Cache*

*# Use PHP 5.3*

```
# Use PHP53 as default
AddHandler application/x-httpd-php53 .php
<IfModule mod_suphp.c>
    suPHP_ConfigPath /opt/php53/lib
</IfModule>

# compress text, html, javascript, css, xml:
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddType x-font/otf .otf
AddType x-font/ttf .ttf
AddType x-font/eot .eot
AddType x-font/woff .woff
AddType image/x-icon .ico
AddType image/png .png

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```