

#compress files

```
<IfModule mod_deflate.c>
  <FilesMatch "\.(css|js|x?html?|php)$">
    SetOutputFilter DEFLATE
  </FilesMatch>
</IfModule>
```

set Expire headers

```
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresDefault "access plus 1 seconds"
  ExpiresByType image/x-icon "access plus 2592000 seconds"
  ExpiresByType image/jpeg "access plus 2592000 seconds"
  ExpiresByType image/png "access plus 2592000 seconds"
  ExpiresByType image/gif "access plus 2592000 seconds"
  ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
  ExpiresByType text/css "access plus 604800 seconds"
  ExpiresByType text/javascript "access plus 216000 seconds"
  ExpiresByType application/javascript "access plus 216000 seconds"
  ExpiresByType application/x-javascript "access plus 216000 seconds"
  ExpiresByType text/html "access plus 600 seconds"
  ExpiresByType application/xhtml+xml "access plus 600 seconds"
</IfModule>
```

set Cache-Control Headers

```
<IfModule mod_headers.c>
  <FilesMatch "\.(ico|jpe?g|png|gif|swf)$">
    Header set Cache-Control "max-age=2592000, public"
  </FilesMatch>
  <FilesMatch "\.(css)$">
    Header set Cache-Control "max-age=604800, public"
  </FilesMatch>
  <FilesMatch "\.(js)$">
    Header set Cache-Control "max-age=216000, private"
  </FilesMatch>
  <FilesMatch "\.(x?html?|php)$">
    Header set Cache-Control "max-age=600, private, must-revalidate"
  </FilesMatch>
```

```

    </FilesMatch>
</IfModule>

# Turn ETags Off

<IfModule mod_headers.c>
    Header unset ETag
</IfModule>

FileETag None

# unset Remove Last-Modified Header

<IfModule mod_headers.c>
    Header unset Last-Modified
</IfModule>

# start redirect process

Options +FollowSymlinks
RewriteEngine On

# no redirecting of actual files

# RewriteCond %{REQUEST_FILENAME} !-f

# force www. before domain.com
# RewriteCond %{HTTP_HOST} !^(www\.|[^\./]+)$ [NC]
# RewriteRule ^ http://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]

# add closing slash if missing to prevent apache errors

RewriteCond %{REQUEST_URI} !([^\./]+)/$
RewriteRule ^([^\./]+)/$ %{REQUEST_URI}/ [L,R=301]

# redirect index.php to assembler.php

RewriteRule ^/?index.php$ ww_view/assembler.php [L]

# redirect to robots.txt

```

```
RewriteRule ^/?robots.txt$ ww_view/robots.php [L]
```

```
# redirect to sitemap
```

```
RewriteRule ^/?sitemap.xml$ ww_view/sitemap-xml.php [L]
```

```
# extra security to protect files in ww_edit section
```

```
RewriteRule ^/?ww_edit/!(admin.php)([^\.]*)?$ ww_view/admin.php [L]
```

```
RewriteRule ^/?ww_edit/_blocks/(.*)$ ww_view/index.php [L]
```

```
RewriteRule ^/?ww_edit/_chunks/(.*)$ ww_view/index.php [L]
```

```
# leave ww_edit/_snippets visible otherwise admin popups get screwed
```

```
# no need to hide ww_edit/css
```

```
#redirect all other URLs to ww_view/assembler.php for PHP processing
```

```
# use a slightly different request if we're attempting a download
```

```
RewriteRule ^/?download/(.*)/(.*)$ ww_view/assembler.php [L]
```

```
# otherwise use the following which filters out filenames
```

```
RewriteRule ^/?([^\.]*)?$ ww_view/assembler.php [L]
```

```
AddHandler php-legacy .php
```