

кеширование В браузере на стороне пользователя

```
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/pdf "access plus 1 month"
ExpiresByType text/x-javascript "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresDefault "access plus 2 days"
</IfModule>
```

Cache-Control

```
<ifModule mod_headers.c>
# 30 дней
<filesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|swf)$">
Header set Cache-Control "max-age=2592000, public"
</filesMatch>
# 30 дней
<filesMatch "\.(css|js|woff)$">
Header set Cache-Control "max-age=2592000, public"
</filesMatch>
# 2 дня
<filesMatch "\.(xml|txt)$">
Header set Cache-Control "max-age=172800, public, must-revalidate"
</filesMatch>
# 1 день
<filesMatch "\.(html|html|php)$">
Header set Cache-Control "max-age=172800, private, must-revalidate"
</filesMatch>
</ifModule>
```

#Запрет отдачи HTTP-заголовков Vary браузерам семейства MSIE

```
<IfModule mod_setenvif.c>
BrowserMatch "MSIE" force-no-vary
BrowserMatch "Mozilla/4.[0-9]{2}" force-no-vary
</IfModule>
```