

```

# -----
# Adds some security for the Apache server configuration for use with
# https://github.com/kartik-v/yii2-app-practical-b template.
# @author Kartik Visweswaran <kartikv2@gmail.com>
# @see http://demos.krajee.com/app-practical-b
# -----

# "-Indexes" will have Apache block users from browsing folders without a default document
# Usually you should leave this activated, because you shouldn't allow everybody to surf th
# every folder on your server (which includes rather private places like CMS system folders.
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or Git.
<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>

# Block access to backup and source files
# These files may be left by some text/html editors and
# pose a great security danger, when someone can access them
<FilesMatch "(\\.
(bak|bat|conf|sql|fla|md|psd|ini|log|sh|incl|swp|dist)|~|init|composer\\.json|composer\\.lock
    Order allow,deny
    Deny from all
    Satisfy All
</FilesMatch>

# Increase cookie security
<IfModule php5_module>
    php_value session.cookie_httponly true
</IfModule>

# Settings to hide index.php and ensure pretty urls
RewriteEngine on

# If a directory or a file exists, use that directory

```

*# If a directory or a file exists, use it directly*

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

*# otherwise forward it to index.php*

```
RewriteRule . index.php
```