

RewriteEngine on

Some hosts require a rewritebase rule, if so, uncomment the RewriteBase line below. If you are running from a subdirectory, your rewritebase should match the name of the path to where stacey is stored.

ie. if in a folder named 'stacey', RewriteBase /stacey

#RewriteBase /

ErrorDocument 404 /404.html

*# Rewrite any calls to *.html, *.json, *.xml, *.atom, *.rss, *.rdf or *.txt if a folder matching * exists*

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_URI} !public/

RewriteCond %{DOCUMENT_ROOT}/public/\$1.\$2 !-f

RewriteRule (.+)\.(html|json|xml|atom|rss|rdf|txt)\$ \$1/ [L]

Add a trailing slash to directories

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_FILENAME} !-d

RewriteCond %{REQUEST_URI} !(\.|\/)?

RewriteCond %{REQUEST_URI} !(.*)/\$

RewriteRule ([^/]+)\$ \$1/ [L]

Rewrite any calls to /render to the image parser

RewriteCond %{REQUEST_URI} render/

RewriteRule ^render/. app/parsers/slir/ [L]

Rewrite any calls to / or /app to the index.php file*

RewriteCond %{REQUEST_URI} /app/\$

RewriteRule ^app/ index.php [L]

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_FILENAME} !-d

RewriteRule ^(.*)/\$ index.php?/\$1/ [L,QSA]

Rewrite any file calls to the public directory

RewriteCond %{REQUEST_FILENAME} !-f

RewriteCond %{REQUEST_FILENAME} !-d

RewriteCond %{REQUEST_URI} !public/

RewriteRule ^(.+)\$ public/\$1 [L]

Allow basic authentication

```
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization},L]
```

Prevent access to .txt files

```
<Files ~ "\.txt$">
```

```
    Order allow,deny
```

```
    Deny from all
```

```
</Files>
```

Increase cookie security

```
<IfModule php5_module>
```

```
    php_value session.cookie_httponly true
```

```
</IfModule>
```