

```

# -----
# gzip compression
# -----

<IfModule mod_deflate.c>
# force deflate for mangled headers developer, yahoo.com/blogs/ydn/posts/2010/12/pushing-
beyond-gzipping/
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ""(15)l -(15))$
    ^((gzip| deflate)\s, ?\s(gzip| deflate)? X(4,13)l ""(4,13)l -(4,13))$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>
# html, txt, css, js, json, xml, htc:
<IfModule filter_module>
  FilterDeclare COMPRESS
  FilterProvider COMPRESS DEFLATE resp=Content-Type
/text/(html| css| javascript| plain| x(ml| -component))/
  FilterProvider COMPRESS DEFLATE resp=Content-Type /application/(javascript| json| xml| x-
javascript)/
  FilterChain COMPRESS
  FilterProtocol COMPRESS change=yes;byteranges=no
</IfModule>

<IfModule !mod_filter.c>
# Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-
javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
</IfModule>

# webfonts and svg:
  <FilesMatch "\.(ttf| otf| eot| svg)$" >
    SetOutputFilter DEFLATE
  </FilesMatch>
</IfModule>

# -----
# Enable header (for better cache control)

```

```

# Expires headers (for better cache control)
# -----

# these are pretty far-future expires headers
# they assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

# if you don't use filenames to version, lower the css and js to something like
# "access plus 1 week" or so

<IfModule mod_expires.c>
    ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                                "access plus 1 month"

# cache, appcache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest             "access plus 0 seconds"

# your document html
    ExpiresByType text/html                       "access plus 0 seconds"

# data
    ExpiresByType text/xml                        "access plus 0 seconds"
    ExpiresByType application/xml                 "access plus 0 seconds"
    ExpiresByType application/json                "access plus 0 seconds"

# rss feed
    ExpiresByType application/rss+xml             "access plus 1 hour"

# favicon (cannot be renamed)
    ExpiresByType image/x-icon                    "access plus 1 week"

# media: images, video, audio
    ExpiresByType image/gif                       "access plus 1 month"
    ExpiresByType image/png                       "access plus 1 month"
    ExpiresByType image/jpg                       "access plus 1 month"
    ExpiresByType image/jpeg                     "access plus 1 month"
    ExpiresByType video/ogg                       "access plus 1 month"
    ExpiresByType audio/ogg                       "access plus 1 month"

```

```
ExpiresByType audio/ogg          "access plus 1 month"
ExpiresByType video/mp4         "access plus 1 month"
ExpiresByType video/webm       "access plus 1 month"

# htc files (css3pie)
ExpiresByType text/x-component  "access plus 1 month"

# webfonts
ExpiresByType font/truetype     "access plus 1 month"
ExpiresByType font/opentype     "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml    "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# css and javascript
ExpiresByType text/css          "access plus 2 months"
ExpiresByType application/javascript "access plus 2 months"
ExpiresByType text/javascript  "access plus 2 months"

<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>

</IfModule>

# -----
# ETag removal
# -----

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

RedirectMatch 404 /\.git(/|$)

RewriteEngine on

# If you are in a sub folder of your web root you
# might have to enable something like this:
#
```

```
# RewriteBase /"antonio/app/frontend/www
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule . index.php
```

```
# Tmp for large data uploads
```

```
<IfModule mod_php5.c>
```

```
php_value upload_max_filesize 60M
```

```
php_value post_max_size 60M
```

```
</IfModule>
```