```
#    BULLETPROOF .52.8 >>>>>>> SECURE .HTACCESS

# PHP/PHP.INI HANDLER/CACHE CODE
# Use BPS Custom Code to add php/php.ini Handler and Cache htaccess code and to save it per
# Most Hosts do not have/use/require php/php.ini Handler htaccess code

# CUSTOM CODE TURN OFF YOUR SERVER SIGNATURE
ServerSignature Off

# CUSTOM CODE DIRECTORY LISTING/DIRECTORY INDEX
Options -Indexes

# CUSTOM CODE BRUTE FORCE LOGIN PAGE PROTECTION
# XML-RPC DDoS PROTECTION
# You can whitelist your IP address if you use A Weblog Client
# or want to whitelist your IP address for any other reasons.
# Example: uncomment #Allow from x.x.x. by deleting the # sign and
# replace the x's with your actual IP address.  Allow from 99.88.77.
# Note:  It is recommended that you use 3 octets x.x.x. of your IP address
# instead of 4 octets x.x.x.x of your IP address.

<FilesMatch "^(xmlrpc\.php)">
Order Deny,Allow
# Whitelist Jetpack/ Automattic CIDR IP Address Blocks
Allow from 192.0.64.0/18
Allow from 209.15.0.0/16
Allow from 66.155.0.0/17
Allow from tagamon.com
Allow from wordpress.com
Deny from all
</FilesMatch>

# CUSTOM CODE ERROR LOGGING AND TRACKING
ErrorDocument 400 /wp-content/plugins/bulletproof-security/400.php
ErrorDocument 401 default
ErrorDocument 403 /wp-content/plugins/bulletproof-security/403.php
ErrorDocument 404 /404.php
ErrorDocument 410 /wp-content/plugins/bulletproof-security/410.php

# CUSTOM CODE DENY ACCESS TO PROTECTED SERVER FILES AND FOLDERS
```

```
RedirectMatch 403 \.(htaccess|htpasswd|errordocs|logs)$


# CUSTOM CODE WP-ADMIN/INCLUDES
# WP-ADMIN/INCLUDES
# Use BPS Custom Code to remove this code permanently.
RewriteEngine On
RewriteBase /
RewriteRule ^wp-admin/includes/ - [F]
RewriteRule !^wp-includes/ - [S=3]
RewriteRule ^wp-includes/[^/]+\.php$ - [F]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
RewriteRule ^wp-includes/theme-compat/ - [F]


# WP REWRITE LOOP START
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
# CUSTOM CODE REQUEST METHODS FILTERED
# REQUEST METHODS FILTERED
# If you want to allow HEAD Requests use BPS Custom Code and
# remove/delete HEAD| from the Request Method filter.
# Example: RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK|DEBUG) [NC]
# The TRACE, DELETE, TRACK and DEBUG Request methods should never be removed.
RewriteCond %{REQUEST_METHOD} ^(HEAD|TRACE|DELETE|TRACK|DEBUG) [NC]
RewriteRule ^(.*)$ - [F]


# PLUGINS/THEMES AND VARIOUS EXPLOIT FILTER SKIP RULES
# To add plugin/theme skip/bypass rules use BPS Custom Code.
# The [S] flag is used to skip following rules. Skip rule [S=12] will skip 12 following Rew
# The skip rules MUST be in descending consecutive number order: 12, 11, 10, 9...
# If you delete a skip rule, change the other skip rule numbers accordingly.
# Examples: If RewriteRule [S=5] is deleted than change [S=6] to [S=5], [S=7] to [S=6], etc.
# If you add a new skip rule above skip rule 12 it will be skip rule 13: [S=13]


# Adminer MySQL management tool data populate
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/adminer/ [NC]
RewriteRule . - [S=12]
# Comment Spam Pack MU Plugin - CAPTCHA images not displaying
RewriteCond %{REQUEST_URI} ^/wp-content/mu-plugins/custom-anti-spam/ [NC]
RewriteRule . - [S=11]
# Peters Custom Anti-Spam display CAPTCHA Image
```

```
RewriteCond %{REQUEST_URI} `/wp-content/plugins/peters-custom-anti-spam-image/ [NC]
RewriteRule . - [S=10]
# Status Updater plugin fb connect
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/fb-status-updater/ [NC]
RewriteRule . - [S=9]
# Stream Video Player - Adding FLV Videos Blocked
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/stream-video-player/ [NC]
RewriteRule . - [S=8]
# XCloner 404 or 403 error when updating settings
RewriteCond %{REQUEST_URI} ^/wp-content/plugins/xcloner-backup-and-restore/ [NC]
RewriteRule . - [S=7]
# BuddyPress Logout Redirect
RewriteCond %{QUERY_STRING} action=logout&redirect_to=http%3A%2F%2F(.*) [NC]
RewriteRule . - [S=6]
# redirect_to=
RewriteCond %{QUERY_STRING} redirect_to=(.*) [NC]
RewriteRule . - [S=5]
# Login Plugins Password Reset And Redirect 1
RewriteCond %{QUERY_STRING} action=resetpass&key=(.*) [NC]
RewriteRule . - [S=4]
# Login Plugins Password Reset And Redirect 2
RewriteCond %{QUERY_STRING} action=rp&key=(.*) [NC]
RewriteRule . - [S=3]


# TIMTHUMB FORBID RFI and MISC FILE SKIP/BYPASS RULE
# Use BPS Custom Code to modify/edit/change this code and to save it permanently.
# Remote File Inclusion (RFI) security rules
# Note: Only whitelist your additional domains or files if needed - do not whitelist hacker
RewriteCond %{QUERY_STRING} ^.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w){0,3}.?
(blogger|picasa|blogspot|tsunami|petapolitik|photobucket|imgur|imageshack|wordpress\.com|img
thegame).*$ [NC,OR]
RewriteCond %{THE_REQUEST} ^.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w){0,3}.?
(blogger|picasa|blogspot|tsunami|petapolitik|photobucket|imgur|imageshack|wordpress\.com|img
thegame).*$ [NC]
RewriteRule .* index.php [F]
#
# Example: Whitelist additional misc files: (example\.php|another-file\.php|phpthumb\.php|t|
RewriteCond %{REQUEST_URI} (timthumb\.php|phpthumb\.php|thumb\.php|thumbs\.php) [NC]
# Example: Whitelist additional website domains: RewriteCond %{HTTP_REFERER} ^.*(YourWebsit
RewriteCond %{HTTP_REFERER} ^.*tagamon.com.*
RewriteRule . - [S=1]
```

```
# CUSTOM CODE BPSQSE BPS QUERY STRING EXPLOITS
RewriteCond %{QUERY_STRING} (sp_executesql) [NC]
RewriteRule ^(.*)$ - [F]


RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
# WP REWRITE LOOP END

# CUSTOM CODE DENY BROWSER ACCESS TO THESE FILES
<FilesMatch "^(wp-config\.php|php\.ini|php5\.ini|readme\.html|bb-config\.php)">
Order Allow,Deny
Deny from all
#Allow from 127.0.0.1
</FilesMatch>

# HOTLINKING/FORBID COMMENT SPAMMERS/BLOCK BOTS/BLOCK IP/REDIRECT CODE
# PLACEHOLDER ONLY
# Use BPS Custom Code to add custom code and save it permanently here.
```