

```
# Change YOUR_TOKEN to your prerender token and uncomment that line if you want to cache uri  
# Change http://example.com (at the end of the last RewriteRule) to your website url
```

```
<IfModule mod_headers.c>
```

```
    #RequestHeader set X-Prerender-Token "YOUR_TOKEN"
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    <IfModule mod_proxy_http.c>
```

```
        RewriteCond %{HTTP_USER_AGENT} baiduspider|facebookexternalhit|twitterbot|rogerbot|
```

```
        RewriteCond %{QUERY_STRING} _escaped_fragment_
```

```
        RewriteRule ^(?:.)*?
```

```
(\.(js|css|xml|less|png|jpg|jpeg|gif|pdf|doc|txt|ico|rss|zip|mp3|
```

```
(.*) http://127.0.0.1:3000/http://app.1.mequedouno.com/$2 [P,L]
```

```
        # Only proxy the request to Prerender if it's a request for HTML
```

```
    </IfModule>
```

```
# The following rule tells Apache that if the requested filename  
# exists, simply serve it.
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
# The following rewrites all other queries to index.php. The  
# condition ensures that if you are using Apache aliases to do  
# mass virtual hosting, the base path will be prepended to  
# allow proper resolution of the index.php file; it will work  
# in non-aliased environments as well, providing a safe, one-size  
# fits all solution.
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/+)(/+):\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.html [NC,L]
```

```
</IfModule>
```