

*# first cut at redirects*

*# Automatically add .html to non-suffix'd names or directories,  
# but not for the root /csdl/fpg directory*

RedirectMatch 302 (/csdl/fpg/\*)/([^\.\ \/\+]?\$ \$1/\$2.html

*#RedirectMatch 301 ^/csdl/fpg/users/([^\.\ ]\*)\$ /csdl/fpg/users/\$1.html*

*# Bib redirect*

RedirectMatch 301 ^/csdl/fpg/biblio /csdl/fpg/publications.html

*# tools are now called software*

RedirectMatch 301 ^/csdl/fpg/Tools/(.\*)\$ /csdl/fpg/software/\$1

*# Using hackage normalize names*

RedirectMatch 301 (.\*)/KansasLava.html\$ \$1/kansas-lava.html

*# short cut the directory*

Redirect 301 /csdl/fpg/sites/default/files http://www.ittc.ku.edu/csd/fpg/files

*# Root level names*

Redirect 301 /csdl/fpg/Tools.html http://www.ittc.ku.edu/csd/fpg/software.html

Redirect 301 /csdl/fpg/ChalkBoard.html

http://www.ittc.ku.edu/csd/fpg/software/chalkboard.html

Redirect 301 /csdl/fpg/KansasLava.html http://www.ittc.ku.edu/csd/fpg/software/kansas-lava.html

Redirect 301 /csdl/fpg/Hood.html http://www.ittc.ku.edu/csd/fpg/software/hood.html

Redirect 301 /csdl/fpg/Home.html http://www.ittc.ku.edu/csd/fpg/index.html