

```
<IfModule mod_cgi.c>
  <IfModule !mod_fcgid.c>
    AddHandler cgi-script .lua
  </IfModule>
</IfModule>

<IfModule mod_fcgid.c>
  AddHandler fcgid-script .lua
  FCGIWrapper "/usr/bin/env wsapi.fcgi" .lua
</IfModule>

<FilesMatch "\.(lua|db|sql|mysql|cgi|fcgi)$">
  Deny from all
  Allow from none
</FilesMatch>

<Files "blog.lua">
  Allow from all
  Deny from none
  <IfModule mod_xsendfile.c>
    XSendFile on
  </IfModule>
</Files>

<IfModule mod_rewrite.c>
RewriteEngine on

RewriteCond %{REQUEST_FILENAME} ^(.*)/blog\.lua$
RewriteCond %1/page_cache/index.html -f
RewriteRule ^blog\.lua/?$ page_cache/index.html [L]

RewriteCond %{REQUEST_FILENAME} ^(.*)/blog\.lua$
RewriteCond %1/page_cache/post-$1.html -f
RewriteRule ^blog\.lua/post/(.+)$ page_cache/post-$1.html [L]

RewriteCond %{REQUEST_FILENAME} ^(.*)/blog\.lua$
RewriteCond %1/page_cache/archive-$1-$2.html -f
RewriteRule ^blog\.lua/archive/([^/]+)/([^/]+$ page_cache/archive-$1-$2.html [L]

RewriteCond %{REQUEST_FILENAME} ^(.*)/blog\.lua$
RewriteCond %1/page_cache/page-$1.html -f
```

```
RewriteCond %A /page_cache/page-$1.html -f
RewriteRule ^blog\.lua/page/(.+)$ page_cache/page-$1.html [L]
</IfModule>
```