

```

# AddDefaultCharset UTF-8
AddType text/x-component .htc

<IfModule mod_php5.c>
php_flag    display_errors    Off
php_flag    log_errors        On
# php_value  error_log        logs/errors

php_value   upload_max_filesize 5M
php_value   post_max_size       6M
php_value   memory_limit        64M

php_flag    register_globals    Off
php_flag    zlib.output_compression Off
php_flag    magic_quotes_gpc    Off
php_flag    magic_quotes_runtime Off
php_flag    zend.zel_compatibility_mode Off
php_flag    suhosin.session.encrypt Off

#php_value  session.cookie_path /
php_flag    session.auto_start  Off
php_value   session.gc_maxlifetime 21600
php_value   session.gc_divisor    500
php_value   session.gc_probability 1
</IfModule>

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteRule ^favicon\.ico$ skins/larry/images/favicon.ico

# security rules:
# - deny access to files not containing a dot or starting with a dot
#   in all locations except installer directory
RewriteRule ^(!installer)(\.[^\.]*)$ - [F]
# - deny access to some locations
RewriteRule ^/?
(\.git|\.txt|SQL|bin|config|logs|templ|tests|program\/(include|lib|localization|steps)) -
[F]
# - deny access to some documentation files
RewriteRule ^/(README\.md|composer\.json-dist|composer\.json|package\.xml)$ - [F]
</IfModule>

```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
SetOutputFilter DEFLATE
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
# replace 'append' with 'merge' for Apache version 2.2.9 and later
```

```
#Header append Cache-Control public env=!NO_CACHE
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 1 month"
```

```
</IfModule>
```

```
FileETag MTime Size
```

```
<IfModule mod_autoindex.c>
```

```
Options -Indexes
```

```
</ifModule>
```