

AddDefaultCharset UTF-8

php_value date.timezone 'Europe/Kiev'

<IfModule mod_rewrite.c>

 RewriteEngine on

Use gzipped static files if they exist

 RewriteCond %{HTTP:Accept-encoding} gzip

 RewriteCond %{HTTP_USER_AGENT} !Konqueror

 RewriteCond %{REQUEST_FILENAME}.gz -f

 RewriteRule ^(.*)\. (css|js)\$ \$1. \$2.gz [QSA,L]

 <FilesMatch \.css\.gz\$>

 ForceType text/css

 </FilesMatch>

 <FilesMatch \.js\.gz\$>

 ForceType text/javascript

 </FilesMatch>

 <IfModule mod_mime.c>

 AddEncoding gzip .gz

 </IfModule>

if a directory or a file exists, use it directly

 RewriteCond %{REQUEST_FILENAME} !-f

 RewriteCond %{REQUEST_FILENAME} !-d

otherwise forward it to index.php

 RewriteRule . index.php [L]

Block out any script trying to base64_encode data within the URL.

 RewriteCond %{QUERY_STRING} base64_encode(?:\[^\]]*\[?]) [OR]

Block out any script that includes a <script> tag in URL.

 RewriteCond %{QUERY_STRING} (<| %3C)([^\s]*s)+cript.*(>| %3E) [NC,OR]

 RewriteCond %{QUERY_STRING} (\<| %3C).*script.*(\>| %3E) [NC,OR]

Block out any script trying to set a PHP GLOBALS variable via URL.

 RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \)| \[0-9A-Z]{0,2}) [OR]

Block out any script trying to modify a _REQUEST variable via URL.

 RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \)| \[0-9A-Z]{0,2})

 RewriteRule ^(.*)\$ index.php [F,L]

Forward dynamic paths to index.php

```
# forward dangerous paths to index.php
RewriteCond %{REQUEST_FILENAME} (.*/)?\.svn/ [OR]
RewriteCond %{REQUEST_FILENAME} \.git/ [OR]
RewriteCond %{REQUEST_FILENAME} \.gitignore$ [OR]
RewriteCond %{REQUEST_FILENAME} protected/ [OR]
RewriteCond %{REQUEST_FILENAME} framework/
RewriteRule . index.php [L]
</IfModule>
<files .htaccess>
order allow,deny
deny from all
</files>

## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/pdf "access plus 1 month"
ExpiresByType text/x-javascript "access plus 1 month"
ExpiresByType application/x-shockwave-flash "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresDefault "access plus 2 days"
</IfModule>

## EXPIRES CACHING ##
```