

```
Options +FollowSymLinks +ExecCGI
```

```
##RewriteRule ^(.*)$ blank.html [L]
```

```
#SetEnvIfNoCase Host test\.lookingo\.com nopassreq
```

```
# Gzip css styles and jz scripts
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    AddEncoding gzip .gz
```

```
    RewriteCond %{HTTP:Accept-encoding} gzip
```

```
    RewriteCond %{HTTP_USER_AGENT} !Safari
```

```
    RewriteCond %{REQUEST_FILENAME}.gz -f
```

```
    RewriteRule ^(.*)$ $1.gz [QSA,L]
```

```
    RewriteCond %{HTTP_HOST} tf1 [NC]
```

```
    RewriteRule ^robots\.txt$ robots-tf1.txt [L]
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
    Header append Vary User-Agent
```

```
    <FilesMatch .*\.(js|gz)$>
```

```
        ForceType text/javascript
```

```
        Header set Content-Encoding: gzip
```

```
        Header set Cache-control: private
```

```
    </FilesMatch>
```

```
    <FilesMatch .*\.(css|gz)$>
```

```
        ForceType text/css
```

```
        Header set Content-Encoding: gzip
```

```
        Header set Cache-control: private
```

```
    </FilesMatch>
```

```
</IfModule>
```

```
# End Gzip
```

```
<IfModule mod_rewrite.c>
```

```
    # redirect from deal-du-jour to tf1.lookingo buy page
```

```
    RewriteEngine On
```

```
    RewriteCond %{HTTP_HOST} deal-du-jour\.tf1\.fr [NC]
```

```
    RewriteCond %{REQUEST_URI} ^/buy
```

```
    RewriteRule ^/buy$ /tf1/lookingo/buy [R=301,L]
```

```
RewriteRule ^(.+)$ http://t11.lookingo.com/$1 [R=301,L]
```

RewriteEngine On

```
RewriteRule ^ventes-privees-boutique/le-petit-patron/0 http://%(HTTP_HOST)/ventes-privees/le-petit-patron/2409?%(QUERY_STRING) [R=301,L]
```

```
RewriteRule ^ventes-privees-boutique/greezbee/0 http://%(HTTP_HOST)/ventes-privees/greezbee/casse-tete-1555?%(QUERY_STRING) [R=301,L]
```

```
RewriteRule ^ventes-privees-boutique/cbiopourmoi/0 http://%(HTTP_HOST)/ventes-privees-boutique/cbiopourmoi?%(QUERY_STRING) [R=301,L]
```

new slug

```
RewriteRule ^segway$ http://%(HTTP_HOST)/?utm_layover=NA5D [R=301,L]
```

```
RewriteRule ^fly$ http://%(HTTP_HOST)/?utm_layover=NA5D [R=301,L]
```

```
RewriteRule ^freepie$ http://%(HTTP_HOST)/ouffer/1135?utm_source=flyer&utm_campaign=freepie [R=301,L]
```

```
RewriteRule ^pieface$ http://%(HTTP_HOST)/ouffer/1135?utm_source=flyer&utm_campaign=freepie [R=301,L]
```

```
#RewriteRule (.+all.js|.+all-en.js|.+all.css|.+all-en.css) gz.php?f=$1 [NC]
```

#Removing trailing slashes from url

```
RewriteCond %(REQUEST_FILENAME) !-d
```

```
RewriteCond %(REQUEST_URI) ^(.+)/$
```

```
RewriteRule ^(.+)/$ /$1 [R=301,L]
```

```
RewriteRule ^(.*/)?\.svn/ - [F,L]
```

```
ErrorDocument 403 "Access Forbidden"
```

```
# uncomment the following line, if you are having trouble
```

```
# getting no_script_name to work
```

```
#RewriteBase /
```

```
# we skip all files with .something
```

```
# comment the following 3 lines to allow periods in routes
```

```
RewriteCond %(REQUEST_URI) \.+$
```

```
RewriteCond %(REQUEST_URI) !\.html$
```

```
RewriteRule ^(.+)$ http://%(HTTP_HOST)/$1 [R=301,L]
```

```
RewriteCond %{REQUEST_URI} !rss\.xml$
RewriteCond %{REQUEST_URI} !criteo\.xml$
RewriteCond %{REQUEST_URI} !htc\.xml$
RewriteCond %{REQUEST_URI} !bonzai\.xml$
#RewriteRule .* - [L]

# we check if the .html version is here (caching)
RewriteRule ^$ index.html [QSA]
RewriteRule ^([\^.]*)$ $1.html [QSA]
RewriteCond %{REQUEST_FILENAME} !-f

# no, so we redirect to our front web controller
RewriteRule ^(\.*)$ index.php [QSA,L]
</IfModule>

# big crash from our front web controller
ErrorDocument 500 "<h2>Application error</h2>symfony application failed to start properly"
```