

```

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^(.*)$ app.php [QSA,L]
</IfModule>

# #####
# # MEDIA TYPES AND CHARACTER ENCODINGS #
# #####

# -----
# | Media types |
# -----

# Serve resources with the proper media types (formerly known as MIME types).
# http://www.iana.org/assignments/media-types/media-types.xhtml

<IfModule mod_mime.c>
    # Data interchange
    AddType application/json json map topjson

    # JavaScript
    # Normalize to standard type.
    # http://tools.ietf.org/html/rfc4329#section-7.2
    AddType application/javascript js

    # Video
    AddType video/mp4 f4v f4p m4v mp4
    AddType video/ogg ogv
    AddType video/webm webm
    AddType video/x-flv flv

    # Web fonts
    AddType application/font-woff woff
    AddType application/font-woff2 woff2
    AddType application/vnd.ms-fontobject eot

    # Browsers usually ignore the font media types and simply sniff
    # the bytes to figure out the font type.
    # http://mimesniff.spec.whatwg.org/#matching-a-font-type-pattern

```

```
# Chrome however, shows a warning if any other media types are used  
# for the following two font types.
```

```
AddType application/x-font-ttf          ttc ttf
```

```
AddType font/opentype                  otf
```

```
AddType image/svg+xml                  svg svgz
```

```
# Other
```

```
AddType application/xml                atom rdf rss xml
```

```
AddType image/x-icon                   cur ico
```

```
</IfModule>
```

```
# -----  
# | Reducing MIME type security risks |  
# -----
```

```
# Prevent some browsers from MIME-sniffing the response.
```

```
# This reduces exposure to drive-by download attacks and cross-origin data  
# leaks, and should be left uncommented, especially if the web server is  
# serving user-uploaded content or content that could potentially be treated  
# as executable by the browser.
```

```
# http://www.slideshare.net/hasegawayosuke/owasp-hasegawa
```

```
# http://blogs.msdn.com/b/ie/archive/2008/07/02/ie8-security-part-v-comprehensive-  
# protection.aspx
```

```
# http://msdn.microsoft.com/en-us/library/ie/gg622941.aspx
```

```
# http://mimesniff.spec.whatwg.org/
```

```
<IfModule mod_headers.c>
```

```
Header set X-Content-Type-Options "nosniff"
```

```
</IfModule>
```

```
# -----  
# | ETags |  
# -----
```

```
# Remove `ETags` as resources are sent with far-future expires headers.
```

```
.....
```

```
# https://developer.yahoo.com/performance/rules.html#etag
```

```
# `FileETag None` doesn't work in all cases.
```

```
<IfModule mod_headers.c>
```

```
    Header unset ETag
```

```
</IfModule>
```

```
FileETag None
```

```
# -----  
# | Expires headers |  
# -----
```

```
# Serve resources with far-future expires headers.
```

```
# IMPORTANT: If you don't control versioning with filename-based cache  
# busting, consider lowering the cache times to something like one week.
```

```
<IfModule mod_expires.c>
```

```
    ExpiresActive on
```

```
    ExpiresDefault "access plus 1 month"
```

```
# CSS
```

```
    ExpiresByType text/css "access plus 1 year"
```

```
# Data interchange
```

```
    ExpiresByType application/json "access plus 0 seconds"
```

```
    ExpiresByType application/xml "access plus 0 seconds"
```

```
    ExpiresByType text/xml "access plus 0 seconds"
```

```
# Favicon (cannot be renamed!) and cursor images
```

```
    ExpiresByType image/x-icon "access plus 1 week"
```

```
# HTML
```

```
    ExpiresByType text/html "access plus 0 seconds"
```

```
# JavaScript
```

```
    ExpiresByType application/javascript "access plus 1 year"
```

```
# Media
```

```
    ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"
</IfModule>
```