

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>  
RewriteEngine On  
RewriteBase /  
RewriteRule ^index\.php$ - [L]  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteRule . /index.php [L]  
</IfModule>
```

```
# END WordPress
```

```
# Add header content type
```

```
AddType 'text/html; charset=UTF-8' .html  
AddDefaultCharset UTF-8  
AddLanguage en-US .html .htm .css .js
```

```
# ETag config
```

```
<IfModule mod_headers.c>  
Header unset ETag  
</IfModule>
```

```
FileETag None
```

```
# Set Mime types
```

```
<IfModule mod_mime.c>
```

```
# Audio
```

```
AddType audio/mp4 m4a f4a f4b  
AddType audio/ogg oga ogg
```

```
# JavaScript
```

```
AddType application/javascript js jsonp  
AddType application/json json
```

```
# Video
```

```
AddType video/mp4 mp4 m4v f4v f4p  
AddType video/ogg oga ogg
```

```

AddType video/ogg                ogv
AddType video/webm              webm
AddType video/x-flv             flv

# Web fonts
AddType application/x-font-woff  woff
AddType application/vnd.ms-fontobject eot

# Browsers usually ignore the font MIME types and sniff the content,
# however, Chrome shows a warning if other MIME types are used for the following
# fonts.
AddType application/x-font-ttf   ttc ttf
AddType font/opentype           otf

# Make SVGZ fonts work on iPad:
AddType image/svg+xml          svg svgz
AddEncoding gzip               svgz

# Other
AddType application/octet-stream safariextz
AddType application/x-chrome-extension crx
AddType application/x-opera-extension oex
AddType application/x-shockwave-flash swf
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall xpi
AddType application/xml         atom rdf rss xml
AddType image/webp              webp
AddType image/x-icon            ico
AddType text/cache-manifest     appcache manifest
AddType text/vtt                vtt
AddType text/x-component        htc
AddType text/x-vcard            vcf

</IfModule>

# Expires Headers

<IfModule mod_expires.c>
ExpiresActive on

# Your document html
- - - - -

```

```
ExpiresByType text/html "access plus 0 seconds"

# Media: images, video, audio
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

ExpiresByType image/x-icon "access plus 1 year"

# CSS and JavaScript
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/css "access plus 1 year"
</IfModule>

# Set Mod Deflate

<IfModule mod_deflate.c>
    SetOutputFilter DEFLATE

# Don't compress
SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary
SetEnvIfNoCase Request_URI \.(?:exe|t?gz|zip|bz2|sit|rar)$ no-gzip dont-vary

#Dealing with proxy servers
<IfModule mod_headers.c>
    Header append Vary User-Agent
</IfModule>
</IfModule>
```