

```
# $Id: .htaccess,v 3.0 2005/02/02 13:57:00 wilt Exp $
# Author: Michael R. Bryant mrb@chainreactionweb.com
#
# This is used with Apache WebServers
#
# For this to work, you must include the parameter 'Options' to
# the AllowOverride configuration
#
# Example:
#
# <Directory "/usr/local/apache/htdocs">
#   AllowOverride Options
# </Directory>
#
# 'All' will also work. (This configuration is in the
# apache/conf/httpd.conf file)

# The following makes adjustments to the SSL protocol for Internet
# Explorer browsers

<IfModule mod_setenvif.c>
  <IfDefine SSL>
    BrowserMatch ". *MSIE [2-5]\. ." \
      nokeepalive ssl-unclean-shutdown \
      downgrade-1.0 force-response-1.0
  </IfDefine>
</IfModule>

# Fix certain PHP values
# (commented out by default to prevent errors occurring on certain
# servers)

<IfModule mod_php5.c>
  php_flag register_long_arrays Off
  php_flag register_globals Off
  php_flag display_errors Off
</IfModule>

<IfModule mod_php4.c>
  php_value session.use_trans_sid 0
  php_value session.cookie_lifetime 0
```

```
php_value register_globals 0
php_flag display_errors Off
php_flag track_errors Off
</IfModule>
```

```
# Ultimate SEO URLs v2.1
```

```
Options +FollowSymLinks
```

```
RewriteEngine On
```

```
RewriteBase /
```

```
RewriteRule ^(.*)-p-(.*)\.html$ product_info.php?products_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-c-(.*)\.html$ index.php?cPath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-m-([0-9]+)\.html$ index.php?manufacturers_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-pi-([0-9]+)\.html$ popup_image.php?pID=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-t-([0-9]+)\.html$ articles.php?tPath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-au-(.*)\.html$ articles.php?authors_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-a-([0-9]+)\.html$ article_info.php?articles_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-ar-([0-9]+)\.html$ article_reviews.php?articles_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-ari-([0-9]+)\.html$ article_reviews_info.php?articles_id=$2%{
QUERY_STRING}
```

```
RewriteRule ^(.*)-pr-([0-9]+)\.html$ product_reviews.php?products_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-pri-([0-9]+)\.html$ product_reviews_info.php?products_id=$2%{
QUERY_STRING}
```

```
RewriteRule ^(.*)-i-([0-9]+)\.html$ information.php?info_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-links-(.*)\.html$ links.php?lPath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-pg-([0-9]+)\.html$ pages.php?pID=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-pc-(.*)\.html$ pages.php?CDpath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-faq-(.*)\.html$ faq.php?cID=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-fc-(.*)\.html$ fss_forms_index.php?fPath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-fd-([0-9]+)\.html$ fss_forms_detail.php?forms_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-fdm-(.*)\.html$ fdm_folder_files.php?fPath=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-file-(.*)\.html$ fdm_file_detail.php?file_id=$2%{QUERY_STRING}
```

```
RewriteRule ^(.*)-ctm-(.*)\.html$ customer_testimonials.php?testimonial_id=$2%{
QUERY_STRING}
```

```
RewriteRule ^specials\.html$ specials.php [NC]
```

```
RewriteRule ^all-products\.html$ allprods.php [NC]
```

```
RewriteRule ^contact\.html$ contact_us.php [NC]
```

```
RewriteRule ^create-account\.html$ create_account.php [NC]
```

```
RewriteRule ^customer-testimonials\.html$ customer_testimonials.php [NC]
```

```
RewriteRule ^faq\.html$ faq.php [NC]
```

```
-----
```

```
RewriteRule ^login.html$ login.php [NC]
RewriteRule ^links.html$ links.php [NC]
RewriteRule ^logoff.html$ logoff.php [NC]
RewriteRule ^account.html$ account.php [NC]
RewriteRule ^new-products.html$ products_new.php [NC]
RewriteRule ^featured-products.html$ featured_products.php [NC]
RewriteRule ^pages.html$ pages.php [NC]
```

Block Bad Bots

```
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo [OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [OR]
RewriteCond %{HTTP_USER_AGENT} HTTPTrack [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC, OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^MMOFFLE [OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus
RewriteRule .* - [F]
```