

```
# Multiple Environment config, set this to development, staging or production
SetEnv FUEL_ENV production

SetEnv DB_HOST "localhost"
SetEnv DB_USER "sgae"
SetEnv DB_PASS "T5vYcDPVxKPXwcnV"
SetEnv DB_NAME "sgae"

<IfModule mod_rewrite.c>

    # Make sure directory listing is disabled
    Options +FollowSymLinks -Indexes
    RewriteEngine on

    # NOTICE: If you get a 404 play with combinations of the following commented out lines
    #AllowOverride All
    #RewriteBase /wherever/fuel/

    # Restrict your site to only one domain
    # !important USE ONLY ONE OPTION

    # Option 1: To rewrite "www.domain.com -> domain.com" uncomment the following lines.
    #RewriteCond %{HTTPS} !=on
    #RewriteCond %{HTTP_HOST} ^www\.(.+) [NC]
    #RewriteRule ^(.*)$ http://%1/$1 [R=301,L]

    # Option 2: To rewrite "domain.com -> www.domain.com" uncomment the following lines.
    #RewriteCond %{HTTPS} !=on
    #RewriteCond %{HTTP_HOST} !^www\..+$ [NC]
    #RewriteCond %{HTTP_HOST} (.+) [NC]
    #RewriteRule ^(.*)$ http://www.%1/$1 [R=301,L]

    # Remove index.php from URL
    #RewriteCond %{HTTP:X-Requested-With} !^XMLHttpRequest$
    #RewriteCond %{THE_REQUEST} ^[^\s]*\/index\.php [NC]
    #RewriteRule ^index\.php(.*)$ $1 [R=301,NS,L]

    # Send request via index.php (again, not if its a real file or folder)
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
```

```
# deal with php5-cgi first
<IfModule mod_fcgid.c>
  RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
</IfModule>

<IfModule !mod_fcgid.c>

  # for normal Apache installations
  <IfModule mod_php5.c>
    RewriteRule ^(.*)$ index.php/$1 [L]
  </IfModule>

  # for Apache FCGI installations
  <IfModule !mod_php5.c>
    RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
  </IfModule>

</IfModule>

</IfModule>
```