

```
php_value date.timezone Pacific/Auckland
### SILVERSTRIBE START ####
# Deny access to templates (but allow from localhost)
<Files *.ss>
    Order deny,allow
    Deny from all
    Allow from 127.0.0.1
</Files>

# Deny access to IIS configuration
<Files web.config>
    Order deny,allow
    Deny from all
</Files>

# Deny access to YAML configuration files which might include sensitive information
<Files *.yml>
    Order allow,deny
    Deny from all
</Files>

# Route errors to static pages automatically generated by SilverStripe
ErrorDocument 404 /assets/error-404.html
ErrorDocument 500 /assets/error-500.html

<IfModule mod_rewrite.c>
    SetEnv HTTP_MOD_REWRITE On
    RewriteEngine On
    #RewriteBase '/git/PersianFeast'
    RewriteRule ^(.*)/(.*)$ - [L]
    #RewriteCond %{REQUEST_URI} !^/ipn$

# Deny access to potentially sensitive files and folders
RewriteRule ^vendor(/|$) - [F,L,NC]
RewriteRule silverstripe-cache(/|$) - [F,L,NC]
RewriteRule composer\.(json|lock) - [F,L,NC]

# Process through SilverStripe if no file with the requested name exists.
# Pass through the original path as a query parameter, and retain the existing
parameters.
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_URI} !^.*$  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteRule .* framework/main.php?url=%1 [QSA]  
</IfModule>  
### SILVERSTRIPE END ###
```