

RewriteEngine on

```
#RewriteCond %{SERVER_PORT} 80  
#RewriteRule ^(.*)$ https://%{HTTP_HOST}/$1 [R,L]
```

RewriteBase /

```
# Hide the application and system directories by redirecting the request to index.php  
#RewriteRule ^(application|system|\.git) index.php/$1 [L]  
#RewriteCond %{REQUEST_FILENAME} !-f  
#RewriteCond %{REQUEST_FILENAME} !-d  
#RewriteRule ^(.*)$ index.php/$1 [QSA,L]
```

```
<IfModule mod_rewrite.c>  
Options +FollowSymLinks  
RewriteEngine on  
RewriteBase /  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteRule ^(.*)$ index.php?/$1 [QSA,L]  
</IfModule>
```

```
#php_value max_input_vars 5000
```

```
### activate mod_expires
```

ExpiresActive On

ExpiresDefault A0

ExpiresByType image/gif A2592000

ExpiresByType image/png A2592000

ExpiresByType image/jpg A2592000

ExpiresByType image/jpeg A2592000

ExpiresByType image/ico A2592000

ExpiresByType text/css A2592000

ExpiresByType text/javascript A2592000

```
<IfModule mod_deflate.c>
```

```
<filesmatch "\.(js|css|html|jpg|jpeg|gif|png|php)$">
```

SetOutputFilter DEFLATE

```
</filesmatch>
```

```
</IfModule>
```

```
</IfModule>
```

```
<FilesMatch "\.(html|html|php)$">
```

```
<IfModule mod_headers.c>
```

```
BrowserMatch MSIE ie
```

```
Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
```

```
</IfModule>
```

```
</FilesMatch>
```

```
AddDefaultCharset utf-8
```

```
AddType video/webm .webm
```

```
AddType video/ogg .ogv
```

```
AddType video/mp4 .mp4
```